

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WACWA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3RD STREET MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA	6/7/2011	Follow-Up Inspection	30/40 Missing FWC, improperly stocked hand wash sink, metal stem thermometer cannot be calibrated to 32 F
7-ELEVEN #2307-27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	6/24/2011	Compliance Inspection	25/30 Improperly hot holding PHF
A & A MINI MART & SMOKE SHOP	Mini-mart	708 N. 5TH AVE.	YAKIMA	6/13/2011	Routine Inspection	0/0 No problems.
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	6/16/2011	Routine Inspection	15/25 Missing FHC's, HW sink blocked, possible contamination of ice.
				6/13/2011	Routine Inspection	15/18 - No FWC available and inadequate handwash sink facilities in kitchen.
				6/9/2011	Routine Inspection	20/23 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF
				6/23/2011	Follow-Up Inspection	0/18

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	6/7/2011	Routine Inspection	35/35 Missing FWC, hands not washed as required, inaccurate metal stem thermometers, improper chemical storage
B.J.'S GET & GO	Mini-mart	3101 MAIN STREET	UNION GAP	6/2/2011	Follow-Up Inspection	5/10 Metal stem thermometer cannot be calibrated to 32 F
BASKIN-ROBBINS	Ice Cream Parlor	816 SUMMITVIEW AVE.	YAKIMA	6/28/2011	Routine Inspection	5/10 - FWC needed.
BIG RED'S DINER	Restaurant	110 S. HOLLY DR.	MOXEE	6/2/2011	Follow-Up Inspection	5/5 Metal stem thermometer cannot be calibrated to 32 F
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	6/2/2011	Compliance Inspection	55/55 RTS of PHF, improperly hot holding PHF, raw meat stored above RTE food
BLACK ROCK CREEK SNACK BAR	Snack Bar	31 RAY RD	SUNNYSIDE	6/23/2011	Compliance Inspection	5/5 Raw meat stored above RTE food
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	6/10/2011	Routine Inspection	5/8 - FWC needed.
BREWER'S MINI-MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	6/22/2011	Routine Inspection	70/86 Missing FWCs, improperly cooling PHF, RTS of PHF, improperly cold holding PHF with ice
				6/17/2011	Routine Inspection	25/30 PHF not in good condition, inaccurate metal stem thermometer, improper chemical storage
				6/30/2011	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BREWLESQUE ESPRESSO	Espresso Stand	326 N. 1ST ST.	YAKIMA	6/16/2011	Routine Inspection	0/0
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	6/13/2011	Routine Inspection	45/61 Improperly stocked hand wash sink, improperly cooling PHF, no metal stem thermometer available
CATHOLIC FAMILY & CHILD SERVICE	Espresso Stand	5301 TIETON DR. SUITE "C"	YAKIMA	6/21/2011	Follow-Up Inspection	75/89 Hands not washed as required, BHC with RTE food, fruits not washed, improperly cooling PHF, metal stem thermometers cannot be calibrated
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	6/30/2011	Compliance Inspection	15/15 Improperly stocked hand wash sinks, inaccurate metal stem thermometer
CHINA GROVE	Restaurant	3210 PICARD PLACE	SUNNYSIDE	6/9/2011	Routine Inspection	0/0
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	6/22/2011	Routine Inspection	45/53 Missing FWCs, raw meat stored above RTE food, improperly cooling PHF, inaccurate metal stem thermometer
COUNTRYSIDE CATERING & THE FLOUR SHOP CAFE	Bakery	810 W. 2ND STREET	GRANDVIEW	6/8/2011	Follow-Up Inspection	5/5 Raw meat stored above RTE food
				6/29/2011	Routine Inspection	0/0
				6/8/2011	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOMINO'S PIZZA # 7061	Restaurant	1019 YAKIMA VALLEY HWY.	SUNNYSIDE	6/10/2011	Routine Inspection	0/0
EL MERCADO GRANDVIEW	Grocery Store	206 N EUCLID	GRANDVIEW	6/29/2011	Routine Inspection	0/25 Need to change business name on signs
ESSENCIA ARTISAN BAKERY	Restaurant/Catering	4 N. 3RD ST.	YAKIMA	6/26/2011	Catering Routine Inspection	25/25 Hands not washed as required, no hand wash station available
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	6/23/2011	Routine Inspection	25/30 Missing or expired FWCs, inadequate hand washing facilities, improper cold holding of PHF, inaccurate thermometers in multiple refrigeration units.
FRATERNAL ORDER OF EAGLES	Restaurant/Lounge	100 E. SOUTH HILL RD.	SUNNYSIDE	6/17/2011	Routine Inspection	30/40 Missing FWCs, PHF not in good condition, raw meat stored above RTE food, unlabeled chemicals, improper chemical storage
FRUITY'S ESPRESSO	Espresso Stand	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	6/13/2011	Routine Inspection	0/5 missing a temperature gauge in refrigerator
GEORGE'S WOK & GRILL	Restaurant	1210 S. 80TH AVE.	YAKIMA	6/29/2011	Routine Inspection	20/23 Hands not washed as required, inaccurate metal stem thermometer
GLESENERS MARKET	Mini-mart	1326 FAIR AVE.	YAKIMA	6/20/2011	Pre-Opening Inspection	Hand wash sink needs to have soap and paper towels. Need to pay \$181.00 for Level 2 fee additional amount, then they can operate.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOURMET TRIO DELI & EXPRESSO / C. & L. CATERING	Deli/Catering	1304 N. 1ST STREET	YAKIMA	6/25/2011	Catering Routine Inspectio	0/2
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	6/29/2011	Routine Inspection	0/0
HILTON GARDEN INN	Restaurant/Cateri ng	401 E YAKIMA AVE ²	YAKIMA	6/25/2011	Catering Routine Inspectio	0/0
HOG WILD B.B.Q.	Catering	116 S. WAPATO AVE.	WAPATO	6/15/2011	Routine Inspection	0/0
HUMMINGBIRD CAFE	Restaurant/Cateri ng	3 W. YAKIMA AVENUE # 1	YAKIMA	6/13/2011	Routine Inspection	15/15 - Missing FWC and inadequate handwash sink facilities in kitchen.
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Cateri ng	2710 TERRACE HEIGHTS DRIVE	YAKIMA	6/24/2011	Catering Routine Inspectio	10/12 Improperly stocked hand wash station
JAHR'S EUROPEAN SAUSAGE & CUSTOM CUTTING	Meat Market	160 RANCHETTE LN	SELAH	6/14/2011	Routine Inspection	0/0
JOHNNY'S BOYS HOT DOGS	Mobile		YAKIMA	6/24/2011	Routine Inspection	15/15 Inaccurate metal stem thermometer, unlabeled chemicals

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LITTLE CAESARS # 205	Restaurant	2010 YAKIMA VALLEY HWY. # A-2	SUNNYSIDE	6/8/2011	Routine Inspection	35/35 Missing FWCs, hands not washed as required, inaccurate metal stem thermometer, improper chemical storage
LITTLE RED SCHOOL HOUSE	Espresso Stand	12691 U. S. HWY. 12	NACHES	6/15/2011	Routine Inspection	5/10 - FWC needed.
LITTLE STORE ON NACHES HEIGHTS	Mini-mart	5521 NACHES HTS RD	YAKIMA	6/13/2011	Routine Inspection	10/10 Improper chemical storage
LONGMIRE'S T & T LOUNGE	Tavern	307 S. 1ST STREET	SELAH	6/15/2011	Routine Inspection	20/20 - 5 of 8 workers need FWC, items stored in ice used for drinks, and improper storage of ice scoop.
M & J TAVERN	Tavern	110 W. WINE COUNTRY RD.	GRANDVIEW	6/8/2011	Routine Inspection	10/13 Missing FWC, metal stem thermometer cannot be calibrated
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	6/16/2011	Routine Inspection	65/79 Missing FWCs, hands not washed as required, improperly stocked hand wash sinks, raw meat stored above RTE food, RTS of PHF, improper chemical storage
MC DONALD'S RESTAURANT	Restaurant	1601 W LINCOLN	YAKIMA	6/25/2011	Catering Routine Inspectio	5/5 Missing FWCs
				6/22/2011	Other Inspection	Fire started at the fryer. Several items to take care of then approved to open back up.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MIZ DEE'S B.B.Q. WORKS & CATERING	Restaurant/Catering	523 W. YAKIMA AVE.	YAKIMA	6/12/2011	Surveillance Inspection	Inspection performed at farmer's market. No problems observed at that time. (FWCs and License were not checked)
MOULIN BREW	Espresso Stand	2412 S. 1ST STREET	YAKIMA	6/26/2011	Catering Routine Inspection	5/12 Missing FWCs
NICK'S MERCADO LATINO # 2	Meat Market	718 S. 6TH STREET	YAKIMA	6/28/2011	Routine Inspection	15/15 - FWC needed and soap needed at handwash sink in the restroom.
OLD TOWN PUMP SALOON	Restaurant/Lounge	3716 MAIN STREET	UNION GAP	6/1/2011	Complaint Inspection	Employees found grilling chicken behind the minimart. Problems included no handwash station, no thermometer and no food worker cards. Owner was instructed that the above items were needed in order to continue operation.
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	6/9/2011	Routine Inspection	5/21 Missing FWC
PAPA JOHN'S PIZZA	Restaurant	3508 SUMMITVIEW	YAKIMA	6/15/2011	Follow-Up Inspection	0/0
PASTIME	Tavern	125 E. NACHES	SELAH	6/8/2011	Routine Inspection	5/5 - 10 of 15 workers need FWC.
				6/8/2011	Routine Inspection	25/35 - Several FWC needed, consumer advisory needed on menu, improper storage of ice scoop.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUICK CHECK	Grocery Store	131 S. 2ND ST.	YAKIMA	6/22/2011	Routine Inspection	145/168 Missing FWCs, hands not washed as required, BHC with RTE food, blocked kitchen hand wash sink, raw meat stored above RTE food, improperly cooling PHF, improperly hot holding PHF, RTS of PHF, no metal stem thermometer was available, unlabeled chemical
RASPADOS DONA CHELITO	Espresso/Catering	511 N. 1ST STR. # 2	YAKIMA	6/28/2011	Follow-Up Inspection	10/18 Missing FWCs, inaccurate metal stem thermometer
RED LOBSTER RESTAURANT # 597	Restaurant	905 N. 1ST STREET	YAKIMA	6/26/2011	Catering Routine Inspectio	15/19 Missing FWC, improperly cold holding PHF
ROCKY MART	Mini-mart	1003 W NOB HILL BLVD	YAKIMA	6/16/2011	Routine Inspection	5/13 Inaccurate metal stem thermometer
SENIOR NUTRITION PROGRAM - SELAH CIVIC CENTER	Serving Site	216 S 1ST ST.	SELAH	6/27/2011	Routine Inspection	10/10 - No paper towels at hand wash sink in the kitchen.
SHELL MARKET	Mini-mart	313 S. 1ST STREET	SELAH	6/9/2011	Routine Inspection	0/0
				6/6/2011	Routine Inspection	20/20 - No FWC, metal stem thermometers not accurate, and no handwash sink in food prep area.
				6/27/2011	Follow-Up Inspection	20/20 - Only 1 of 3 workers has a FWC, inaccurate metal stem thermometer, and soap and paper towels not available at handwash sink in food prep area.
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST.	GRANDVIEW	6/17/2011	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STATE FAIR RACEWAY	Catering	1301 FAIR AVE.	YAKIMA	6/25/2011	Catering Routine Inspection	25/25 Hands not washed as required, RTS of PHF
SUBWAY # 13437	Restaurant	103 1ST ST N	SELAH	6/8/2011	Routine Inspection	20/20 - Several workers need FWC and bare hand contact with RTE food.
SUBWAY # 18869	Restaurant	1300 N. 40TH AVE. # 117	YAKIMA	6/1/2011	Routine Inspection	20/23 Missing FWCs, hands not washed as required
SUBWAY # 27775	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	6/1/2011	Routine Inspection	20/30 Missing FWCs, hands not washed as required
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	6/17/2011	Routine Inspection	10/13 Missing FWCs, inaccurate metal stem thermometers
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	6/13/2011	Follow-Up Inspection	30/30 No PIC available, improperly hot holding PHF
SUNTIDES MARKET & GAS	Mini-mart	11 PENCE RD	YAKIMA	6/10/2011	Routine Inspection	5/5 - Several FWC needed.
SUPERMEX OF YAKIMA/ POLLO FELIZ	Restaurant/Catering	316 3RD ST S	YAKIMA	6/26/2011	Catering Routine Inspection	10/12 Missing FWC
				6/28/2011	Routine Inspection	80/85 inadequate handwashing facilities, improperly cleaned/sanitized meat slicer, improper hot holding of PHF, room temperature storage of PHF, improper cold holding of PHF, inaccurate temperature gauges in refrigeration units. (additional note: Pollo Feliz is now operating as a separate business and will be required to obtain their own food service license) Follow-up inspection necessary.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SWEET BEEZ CAFE	Restaurant	130 E NACHES	SELAH	6/16/2011	Routine Inspection	0/0
TACOS EL DORADO	Mobile	SAME	SUNNYSIDE	6/2/2011	Pre-Opening Inspection	
TERIYAKI GRILLE	Restaurant	901 W. YAKIMA AVE. SUITE# 6-B	YAKIMA	6/13/2011	Routine Inspection	5/5 - 2 of 4 workers need FWC.
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	6/26/2011	Catering Routine Inspection	0/3
THE LITTLE BAKE SHOP AT JOHNSON ORCHARDS	Bakery	4906 SUMMITVIEW AV	YAKIMA	6/3/2011	Pre-Opening Inspection	Approved to open bake shop.
THE MARKET PLACE DELI	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	6/14/2011	Routine Inspection	30/38 RTS of PHF, inaccurate metal stem thermometer
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	6/25/2011	Catering Routine Inspection	5/8 Inaccurate metal stem thermometer
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	6/29/2011	Routine Inspection	35/48 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer
TOWN PUMP FOOD MART	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	6/6/2011	Routine Inspection	70/85 Missing FHCs, BHC with RTE foods, Improper cooling of PHFs, room temp storage of PHFs, follow-up needed.
				6/14/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TRULY SCRUMPTIOUS	Restaurant	1 W. YAKIMA AVE. #'S 28 & 30	YAKIMA	6/26/2011	Surveillance Inspection	0/3
TUCKER CELLARS	Winery	70 RAY RD.	SUNNYSIDE	6/10/2011	Routine Inspection	0/0
VALLEY LANES CAFE	Restaurant	1802 E EDISON AVE.	SUNNYSIDE	6/3/2011	Routine Inspection	45/48 Missing FWC, hands not washed as required, RTS of PHF
WASHINGTON FRUIT PLACE	Fruit Stand	1209 PECKS CANYON RD.	YAKIMA	6/17/2011	Follow-Up Inspection	25/30 Missing FWC, no gloves available for handling chips, no metal stem thermometer is available
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	6/8/2011	Routine Inspection	0/0
WINDY POINT VINEYARDS	Winery	420 WINDY PT DR	WAPATO	6/24/2011	Routine Inspection	25/48 Missing FWCs, improperly stocked hand wash sink, raw meat stored next to ready to eat food, inaccurate metal stem thermometer
YAKIMA YOUTH BASEBALL	Snack Bar - Seasonal	1405 W NOB HILL BLVD.	YAKIMA	6/9/2011	Routine Inspection	5/5 Missing FWCs
ZAGELOW BEEFALO RANCH	Mobile		WAPATO	6/23/2011	Follow-Up Inspection	0/0
				6/17/2011	Routine Inspection	20/28 Raw meat stored above RTE food, metal stem thermometer cannot be calibrated in ice, improper chemical storage
				6/26/2011	Routine Inspection	0/0