

Monthly Food Inspection Report

Abbreviations

BHC: Bare Hand Contact
DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

SPECIAL NOTES:
IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION.
35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE ^②	YAKIMA	2/6/2013	Routine Inspection	0/5
AMERISTAR # 15	Mini-mart	723 E. 1ST AVE.	ZILLAH	2/26/2013	Routine Inspection	0/0
AMERISTAR #19	Mini-mart	3602 TIETON DR	YAKIMA	2/25/2013	Routine Inspection	0/0
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Loung e	1505 E. WASHINGTON AVE.	UNION GAP	2/14/2013	Routine Inspection	0/0
BAMBOO TERRACE	Restaurant	54 W NOB HILL ^②	YAKIMA	2/27/2013	Routine Inspection	35/35 Inadequate handwashing facilities (paper towel dispenser not working properly). Inadequate hot hold of PHF.
BEEM'S NUTRITION AT CHESTERLY PARK	Grocery Store	3715 W RIVER ROAD	YAKIMA	2/25/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BENCH MARK SHELL	Mini-mart	1202 N 1ST ST.	YAKIMA	2/21/2013	Routine Inspection	40/40 Room temperature storage of PHF's.
BEST WESTERN GRAPEVINE INN	Continental Brkfst	1849 QUAIL LANE	SUNNYSIDE	2/7/2013	Routine Inspection	5/5 missing FWCS
BI-MART # 636	Grocery Store	110 W. SOUTH HILL RD.	SUNNYSIDE	2/7/2013	Routine Inspection	0/0
BIRRERIA TEPEKE	Restaurant	302 MAIN STREET	GRANGER	2/19/2013	Routine Inspection	15/23 - BHC with ready to eat food.
BLACK BEAR YOGURT		4001 SUMMITVIEW AVE. SUITE # 11	YAKIMA	2/6/2013	Routine Inspection	15/18 - FWC needed and hand wash sink without hot water and paper towels.
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	2/20/2013	Follow-Up Inspection	20/20 Hands not washed as required, raw meat stored next RTE food
BOB'S DRIVE IN	Restaurant	108 E. HWY 12.(YAKIMA VALLEY HWY.)	SUNNYSIDE	2/4/2013	Routine Inspection	5/13 Inaccurate thermometer, dirty freezer, sanitizer bucket stored by foods.
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	2/4/2013	Routine Inspection	5/15 Missing thermometer, refrigerator/freezer need cleaning.
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	2/20/2013	Routine Inspection	15/18 Missing FWCS, improper chemical storage

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BURGER KING - SO. 1ST	Restaurant	2113 S. 1ST STREET	YAKIMA	2/14/2013	Routine Inspection	0/0
CACTUS JUICE CAFE	Deli	632 DECATUR	SUNNYSIDE	2/20/2013	Routine Inspection	0/0
CAFE MELANGE ESTADOS	Restaurant/Catering	7 N. FRONT STREET	YAKIMA	2/21/2013	Routine Inspection	30/43 Expired FWC's, improper cold holding of PHF's, potential contamination of PHF's, kitchen very dirty. (See pictures) Follow up needed.
CARNICERIA 2 ESTADOS	Meat Market	602 S. 3RD STREET	YAKIMA	2/28/2013	Routine Inspection	0/0
CASH & CARRY SMART FOODSERVICE# 574	Grocery Store	1406 E. MEAD AVENUE	UNION GAP	2/14/2013	Routine Inspection	0/0
CATS LITERACY CENTER	School	107 BUENA WAY #10	TOPPENISH	2/8/2013	Routine Inspection	0/0
CENADURIA Y TACOS EL GORDO	Restaurant	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/7/2013	Routine Inspection	5/5 inadequate hot holding of PHF
CHERREE'S ESPRESSO	Espresso Stand	2404 S. THIRD AVE.	UNION GAP	2/14/2013	Routine Inspection	0/0
COCINA ISABEL	Restaurant	303 S. 13TH STREET	SUNNYSIDE	2/20/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COCO'S AHTANUM	Mini-mart	1504 LOWER AHTANUM RD.	UNION GAP	2/6/2013	Routine Inspection	0/0
COMFORT SUITES	Snack Bar	3702 FRUITVALE BLVD.	YAKIMA	2/15/2013	Routine Inspection	0/0
CORNER GROCERY & HARDWARE	Grocery Store	8501 AHTANUM RD	YAKIMA	2/25/2013	Routine Inspection	0/3 unclean food contact surfaces
COUNTRY ROCK CAFE	Restaurant	216 NACHES AVE.	NACHES	2/7/2013	Routine Inspection	10/15 Inadequate handwashing facilities, dishwasher not sanitizing properly
DAYS INN	Continental Brkfst	1504 N. 1ST STREET	YAKIMA	2/15/2013	Routine Inspection	10/10 inadequate handwashing facilities
DOLLAR TREE # 2387	Grocery Store	703 W. NOB HILL BLVD. - YAKIMA	YAKIMA	2/22/2013	Routine Inspection	0/0
DOMINO'S PIZZA # 7164	Restaurant	102 W MEAD AVE ^②	YAKIMA	2/14/2013	Routine Inspection	0/0
EL PORTON	Restaurant	420 S. 48TH AVE.	YAKIMA	2/25/2013	Routine Inspection	15/15 Improper cold holding of PHF's, no thermometer.
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	2/7/2013	Routine Inspection	20/25 Missing/expired FWCS, inadequate hand washing facilities, improper hot holding of PHF, plumbing issues

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GARCIA'S DRIVE - THRU # 2	Restaurant/Catering	1027 W WINE COUNTRY RD.	GRANDVIEW	2/26/2013	Routine Inspection	5/10 Missing or expired FWCS, missing sanitizer in food preparation area.
GARCIA'S DRIVE	Cafeteria	546 WOODALL RD.	GRANDVIEW	2/26/2013	Routine Inspection	0/0
GEPPETTO'S ITALIAN BISTRO & DELI	Deli	3105 SUMMITVIEW AV	YAKIMA	2/28/2013	Routine Inspection	0/0
GILBERT CELLARS TASTING ROOM	Winery	5 N. FRONT STREET	YAKIMA	2/21/2013	Routine Inspection	10/15 Expired FWCS, inaccurate thermometer, storing sanitizer bucket next to foods.
GOLDEN NUGGET	Mini-mart	1041 BUENA RD	ZILLAH	2/7/2013	Routine Inspection	0/0
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	2/7/2013	Routine Inspection	0/0
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	2/9/2013	Catering Routine Inspectio	5/5 Missing FWCS
JACK IN THE BOX # 8315	Restaurant	1002 N. 1ST STREET	YAKIMA	2/14/2013	Routine Inspection	15/15 Missing FWCS, inadequate handwashing facilities
K-MART LITTLE CAESAR'S PIZZA STATION	Restaurant	2304 E NOB HILL BLVD ^②	YAKIMA	2/19/2013	Routine Inspection	10/15 PIC answered incorrectly, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA GUADALUPANA	Restaurant	3990 HARRAH ROAD	HARRAH	2/28/2013	Routine Inspection	20/20 - BHC with ready to eat food and improper hot holding temperatures.
LITTLE DUTCH INN Tavern		214 N 6TH AVE.	YAKIMA	2/6/2013	Routine Inspection	15/20 Handwash sink being used to rinse dishes, raw meats stored above RTE foods, ice scoop stored on dirty surface.
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	2/28/2013	Catering Routine Inspection	40/47 No soap at the handwash sink, improperly hot held chicken dumplings, improperly cold holding half-n-half, no metal stem thermometer was available, not in compliance with risk control plans
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	2/5/2013	Routine Inspection	30/50 Hands not washed as required, improperly stocked hand wash sink, using restroom hand wash sink for hand washing for kitchen, inaccurate metal stem thermometer
MAX'S BAR & GRILL	Tavern	1107 S. 3RD STREET	YAKIMA	2/11/2013	Routine Inspection	2/27/2013 Follow-Up Inspection
MERCADO Y CARNICERIA DE GRANDVIEW	Meat Market	225 WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	2/1/2013	Routine Inspection	65/68 Missing FWCs, inadequate hand washing facilities, spoiled foods, improper hot holding of PHF, inaccurate thermometers, improper storage of chemicals, dirty surfaces. Follow-up inspection necessary.
MI PUEBLITO	Restaurant	13 E TOPPENISH AVE	TOPPENISH	2/8/2013	Routine Inspection	No repeated issues.
						5/10 inaccurate thermometer, no sanitizer available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MOCHA TREE ESPRESSO	Espresso Stand	1018 S. 11TH AVE. - YAKIMA	YAKIMA	2/27/2013	Routine Inspection	15/15 Missing/expired FWCS, Improper cold holding of PHF
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	2/14/2013	Routine Inspection	60/63 Improper cooling, improper thawing, room temperature storage, no thermometers. Follow-up required.
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	2/13/2013	Routine Inspection	20/23 - FWC needed, ice scoop laying in ice machine, and food workers eating in food prep area.
OBENTO HOUSE	Restaurant	11 N. 11TH AVE #105	YAKIMA	2/19/2013	Routine Inspection	0/0
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	2/14/2013	Routine Inspection	0/0
ORCHARD PARK	Retirement Housing	620 N. 34TH AVENUE	YAKIMA	2/6/2013	Routine Inspection	10/10 Improper cold holding of PHF's.
OUTBACK ESPRESSO	Espresso/Catering	8803 AHTANUM RD.	YAKIMA	2/6/2013	Routine Inspection	5/5 - 3 FWC needed.
OXFORD SUITES	Restaurant	1701 E. YAKIMA AVE.	YAKIMA	2/21/2013	Routine Inspection	35/43 Missing FWCS, improperly stocked hand wash sinks, raw meat stored next to RTE food, improperly cold holding milk, inaccurate metal stem thermometer
PANDA EXPRESS #1725	Restaurant	1915 1ST ST S	YAKIMA	2/20/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA MURPHY'S PIZZA	Restaurant	4900 TIETON DRIVE	YAKIMA	2/14/2013	Routine Inspection	10/20 Improper cold holding of PHF's, missing thermometer, no sanitizer.
PEKING PALACE	Restaurant/Loung e	610 N. 1ST STREET	YAKIMA	2/26/2013	Routine Inspection	No problems. Kitchen very clean.
PIZZA HUT #23	Restaurant	3915 N. KERN ROAD	YAKIMA	2/13/2013	Routine Inspection	0/0
PIZZA TIME	Restaurant	2201-A W. LINCOLN AVE.	YAKIMA	2/8/2013	Routine Inspection	10/13 Food not in good condition
QUALITY MART	Mini-mart	616 S 3RD ST.	YAKIMA	2/27/2013	Routine Inspection	10/18 Missing FWCS; improperly hot holding PHF
RAJ & CO.	Mini-mart	4708 TIETON DR	YAKIMA	2/20/2013	Routine Inspection	0/5 improper labeling of vacuum packaged meats
RAY'S RETAIL MEATS	Meat Market	2109 S 3RD AVE.	UNION GAP	2/14/2013	Routine Inspection	0/3 Nonfood contact surface needs to be cleaned.
RESER'S FINE FOODS	Grocery Store	605 E. NOB HILL BLVD.	YAKIMA	2/27/2013	Routine Inspection	0/0
RITE AID # 5296	Grocery Store	2204-B W. NOB HILL BLVD.	YAKIMA	2/14/2013	Routine Inspection	15/15 Improper cold holding of PHF's.
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	2/6/2013	Routine Inspection	15/15 Expired FW/C, improper cold holding of PHF's
				2/6/2013	Routine Inspection	15/15 Expired FW/C, improper cold holding of PHF's

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	2/20/2013	Routine Inspection	50/58 Missing FWCs, hands not washed as required, raw meat stored above RTE, improperly hot holding PHF
ROY'S MARKET	Mini-mart	201 S 6TH ST.	YAKIMA	2/12/2013	Routine Inspection	0/0
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	2/14/2013	Follow-Up Inspection	25/25 room temperature storage of meats
SAFEWAY # 1593	Grocery Store	610 E. WINE COUNTRY RD.	GRANDVIEW	2/1/2013	Routine Inspection	5/10 Missing FWCS, improper food storage
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	2/21/2013	Routine Inspection	20/28 Hands not washed as required, raw meat stored above and next to RTE food
SAFEWAY # 563	Grocery Store	613 S. 6TH STREET	SUNNYSIDE	2/28/2013	Routine Inspection	15/28 Missing FWCS, raw meats stored next to RTE food, one of four metal stem thermometers is inoperable,
SAFEWAY FUEL STATION # 1235	Mini-mart	2112 W. NOB HILL BLVD.	YAKIMA	2/14/2013	Routine Inspection	0/0
SAINT JACK'S VIDEO	Snack Bar	614 W. 1ST STREET	WAPATO	2/7/2013	Routine Inspection	0/0
SEOUL TERI - HOUSE	Restaurant	8 N 7TH AVE.	YAKIMA	2/15/2013	Routine Inspection	5/5 Improper storage of raw meats

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SMITTY'S CONOCO #60	Mini-mart	304 W. MEAD AVE.	YAKIMA	2/27/2013	Routine Inspection	0/0 Food service upgraded to level 2
SMITTY'S CONOCO-STORE #190	Mini-mart	301 N 1ST ST.	YAKIMA	2/4/2013	Routine Inspection	5/10 Missing FW/Cs
SNYDER'S GERMAN SAUSAGE HAUS	Meat Market	3504 W NOB HILL BLVD.	YAKIMA	2/27/2013	Routine Inspection	0/0
STARBUCKS COFFEE #3370	Espresso Stand	420 S 72ND AVE	YAKIMA	2/28/2013	Routine Inspection	5/5 Missing FW/Cs
SUMMITBREW ESPRESSO	Espresso Stand	3203 SUMMITVIEW AVE.	YAKIMA	2/22/2013	Routine Inspection	0/0
SUMMITVIEW STATION	Mini-mart	4802 SUMMITVIEW AVE.	YAKIMA	2/25/2013	Routine Inspection	30/30 - FW/C needed and improper hot holding temperatures.
SUSIE'S SALOON	Tavern	1023 N 1ST ST.	YAKIMA	2/15/2013	Routine Inspection	25/28 - FW/C needed, improper in-use utensil storage, inaccurate metal stem thermometer.
TACO BELL # 5733	Restaurant	4001 FRUITVALE BLVD	YAKIMA	2/25/2013	Routine Inspection	0/0
TAQUERIA EL ESCORPION	Mobile	6th Ave & Walnut at car wash	YAKIMA	2/22/2013	Follow-Up Inspection	75/75 - Improper cooling, Improper reheating, room temperature storage of rice, and an expired FW/C.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERA MANZANILLO	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	2/4/2013	Follow-Up Inspection	50/50 BHG w/RTE foods, improper cooling of PHF's, improper cold holding.
TERIYAKI ZONE	Restaurant	325 YAKIMA VALLEY HWY.	SUNNYSIDE	2/20/2013	Routine Inspection	5/5 - Some FWC needed.
THE COFFEE POT	Espresso Stand	3120 MAPLEWAY	YAKIMA	2/14/2013	Pre-Opening Inspection	Approved to open once air gaps are installed.
THE COFFEE SHOPPE	Espresso Stand	3311 W. NOB HILL BLVD.	YAKIMA	2/19/2013	Routine Inspection	0/0
THE FARMHOUSE CAFE	Restaurant	4081 HARRAH RD.	HARRAH	2/27/2013	Routine Inspection	0/0
THE MAGIC KITCHEN	Restaurant	1103 S. 3RD AVENUE	YAKIMA	2/14/2013	Routine Inspection	05/5 Expired FWC's
THE MAJESTIC THEATRE	Snack Bar	1919 S. 14TH ST.	UNION GAP	2/21/2013	Routine Inspection	0/0
THE VINEYARD	Restaurant	150 DIVISION ST.	GRANDVIEW	2/8/2013	Routine Inspection	60/65 Missing FWC, hands not washed as required, gloves are damaged, RTS of PHF, inaccurate metal stem thermometer
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	2/20/2013	Routine Inspection	55/58 FWCs were not available, hands not washed as required, improperly stocked hand wash sinks, PHF stored at room temperature

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TREE TOP STORE & VISITOR'S CENTER	Espresso Stand/Deli	202 E 2ND AVE	SELAH			
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	2/11/2013	Routine Inspection	15/18 - FWC expired and no paper towels at handwash sinks.
				2/5/2013	Routine Inspection	55/55 Improperly hot holding PHF, RTS of PHF, inaccurate metal stem thermometer
				2/22/2013	Follow-Up Inspection	60/60 Missing FWC, hands not washed as required, improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
URM CASH & CARRY	Grocery Store	14 S. 5TH AVENUE	YAKIMA	2/19/2013	Routine Inspection	0/0
VALLEY LANES CAFE	Restaurant	1802 E EDISON AVE.	SUNNYSIDE	2/1/2013	Routine Inspection	0/0
VIBRANT HEALTH	Grocery Store	508 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/4/2013	Routine Inspection	0/0 No problems observed.
VITAMIX ROAD SHOW % COSTCO	Serving Site	2310 LONGFIBER RD. - UNION GAP	UNION GAP	2/13/2013	Routine Inspection	10/17 Improperly stocked hand wash station, improperly stocked hand wash sink
WILEY CITY MARKET	Mini-mart	2929 S. WILEY RD.	YAKIMA	2/11/2013	Routine Inspection	40/45 Missing FWC, improperly hot holding PHF, mislabeled chemical
WOK TERYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	2/20/2013	Routine Inspection	25/25 - Improper hot holding temperatures.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WOMAN'S CENTURY CLUB		304 N 2ND ST.	YAKIMA	2/28/2013	Routine Inspection	5/5 missing/expired FWCS
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	2/8/2013	Routine Inspection	35/58 Missing FWCS, improperly hot holding PHF, inaccurate metal stem thermometer
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	2/25/2013	Routine Inspection	20/20 - FW/C needed and improper storage of ice scoop.
YAKIMA MEXICAN AMERICAN RESTAURANT	Restaurant	1203 N. 1ST STREET	YAKIMA	2/7/2013	Routine Inspection	5/10 Expired FWCS, no sanitizer.