

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3RD STREET MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA	7/18/2013	Routine Inspection	0/0
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Catering	5 N. FRONT ST. SUITE # 103	YAKIMA	7/3/2013	Follow-Up Inspection	45/50 Missing FWCs, improperly cooling PHF, improperly cold holding PHF
ARCO AM/PM	Mini-mart	1850 WANETA ROAD	SUNNYSIDE	7/12/2013	Routine Inspection	15/15 - Some FWC needed and handwash sink not properly stocked.
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	7/24/2013	Routine Inspection	0/0
BUMPING LAKE MARINA	Mini-mart	1330 BUMPING LAKE RD. - GOOSE PRAIRIE	GOOSE PRAIRIE	7/22/2013	Routine Inspection	0/0
				7/22/2013	Pre-Opening Inspection	Now operating a mini-mart with all pre-packaged items. If they add hot dogs, they need to add a 3-comp sink. They paid for level 2 but are only level 1. Difference will be retained to pay for plan review and pre-opening inspection.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	7/31/2013	Routine Inspection	25/27 - BHC with produce
COCA COLA BOTTLING - YAKIMA & TRICITIES		607 E. "R" STREET	YAKIMA			
COCINA ARIEL	Commissary	807 W. NOB HILL BLVD.	YAKIMA	7/18/2013	Routine Inspection	0/0
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	7/31/2013	Routine Inspection	10/23 Improperly stocked hand wash sinks
CONQUISTADOR	Restaurant/Catering	214 S. 6TH ST. UNIT # 7	SUNNYSIDE	7/19/2013	Routine Inspection	0/0
COOL BEANS	Espresso Stand	910 W. NOB HILL BLVD	YAKIMA	7/20/2013	Catering Routine Inspection	0/0 Operating at the Sunnyside Car Show. No problems.
DOLLAR STRETCHER	Grocery Store	501 LINCOLN AV W	YAKIMA	7/8/2013	Pre-Opening Inspection	Approved to open.
DOMINO'S PIZZA # 7061	Restaurant	1019 YAKIMA VALLEY HWY.	SUNNYSIDE	7/9/2013	Routine Inspection	0/5
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	7/31/2013	Routine Inspection	0/0
				7/24/2013	Routine Inspection	25/33 - BHC with tortillas.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL JALAPENOS MEXICAN FOOD	Restaurant	306 S. 1ST ST.	YAKIMA	7/3/2013	Routine Inspection	130/158 Missing FWC, hands not washed as required, improperly stocked hand wash sink, vegetables not properly washed, improperly cooling PHF, improperly hot holding PHF, RTS of PHF, improper chemical storage
EL NOA NOA	Restaurant	4671 N TRACK ROAD	WAPATO	7/11/2013	Follow-Up Inspection	No repeat high risk issues. Owner has a plumber scheduled to install air gap beneath food prep sink. See report in imaging.
EL PORTON DE PEPE	Restaurant	15 S 5TH AVENUE	YAKIMA	7/25/2013	Routine Inspection	35/38 Inadequate handwashing facilities, improper hot holding of PHF, dirty non-food contact surfaces
EL RANCHITO	Restaurant	1319 E. 1ST AVENUE	ZILLA	7/9/2013	Routine Inspection	15/23 Missing FWCs, inadequate hand washing facilities, potential food contamination, cleanliness issues
EL TOSTILOCO	Fruit Stand	1205 N. 1ST STREET	YAKIMA	7/25/2013	Routine Inspection	5/5 inaccurate thermometer
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	7/8/2013	Pre-Opening Inspection	Approved to open.
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	7/15/2013	Follow-Up Inspection	5/23 Missing FWC
FRED MEYER # 486	Grocery Store	1206 N. 40TH AVE.	YAKIMA	7/12/2013	Routine Inspection	30/30 - Several FWC needed and raw beef being dried at room temperature.
				7/8/2013	Routine Inspection	10/20 Missing FWCs, inaccurate thermometers in deli dept., birds present in store, appropriate use of sanitizers

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GATEWAY 76 STORE # 180	Mini-mart	1802 E NOB HILL BLVD.	YAKIMA	7/3/2013	Routine Inspection	5/5 Missing FWC
LA MONARCA	Mobile		UNION GAP	7/15/2013	Pre-Opening Inspection	Approved to open.
LEP-RE-KON HARVEST FOODS #6	Grocery Store	145 1ST AVE.	ZILLA	7/26/2013	Routine Inspection	20/25 inadequate handwashing facilities, improper colding of PHF, missing sanitizer
LITTLE CAESARS # 205	Restaurant	2010 YAKIMA VALLEY HWY. # A- 2	SUNNYSIDE	7/12/2013	Routine Inspection	0/0
LUTONG PINOY (FILIPINO FOOD)	Restaurant/Catering	1510 SUMMITVIEW AV	YAKIMA	7/20/2013	Catering Routine Inspection	25/25 Improper cold holding of PHF's, improper handwashing after hands become contaminated.
M & N GROCERY & BAKERY	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	7/19/2013	Routine Inspection	10/10 - No hot water in restroom or hand wash sink in kitchen. Expired milk on shelf over a month past the pull date.
MELISSA'S CATERING	Mobile		TOPPENISH	7/5/2013	Routine Inspection	15/20 Missing FWCs, improper cold holding of PHF, No sanitizer available.
MONARCAS RESTAURANTE	Restaurant	210 WAPATO AVE.	WAPATO	7/15/2013	Pre-Opening Inspection	Approved to open, see report in imaging
OLD TOWN PUMP SALOON	Restaurant/Lounge	3716 MAIN STREET	UNION GAP	7/11/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANADERIA DELICIAS # 2	Bakery	2301 W NOB HILL BLVD	YAKIMA	7/8/2013	Pre-Opening Inspection	Approved to open.
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	7/22/2013	Routine Inspection	0/0
PEEK-A-BREW ESPRESSO	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	7/3/2013	Routine Inspection	5/10 - Several FWC needed.
PIK-A-POP # 11	Mini-mart	1524 YAKIMA VALLEY HWY.	SUNNYSIDE	7/19/2013	Routine Inspection	0/0
RED ROBIN AMERICA'S GOURMET BURGERS & SPIRITS	Restaurant/Lounge	2706 W. NOB HILL BLVD.	YAKIMA	7/29/2013	Routine Inspection	35/35 - Cook did not change gloves after handling raw meat and chemicals stored above food.
RIMROCK STORE	Grocery Store	34090 HWY 12	NACHES	7/3/2013	Routine Inspection	0/5
SAFEWAY # 502	Grocery Store	5702 SUMMITVIEW AVE.	YAKIMA	7/26/2013	Routine Inspection	0/0
SANCHEZ TACOS	Mobile	116 S WAPATO ROAD, WAPATO	WAPATO	7/3/2013	Routine Inspection	15/25 No hot water at the hand wash sink, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH MINI MART/GYROS	Mini-Mart/Catering	103 S 1ST ST	SELAH	7/20/2013	Catering Routine Inspection	10/10 Improper cold holding of PHF's. Operating at the Folk Life Festival.
SELAH SAVE-ON-FOODS	Grocery Store	800 NORTH PARK CENTRE	SELAH	7/3/2013	Complaint Inspection	Found no evidence of pests/larvae in bakery. Talked to assistant manager and they have not received any complaints but he will let the bakery employees know so they can keep a lookout for any pests/larvae.
SEVERINO CELLARS	Winery	1717 1ST AVE.	ZILLAH	7/25/2013	Routine Inspection	0/0
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	7/9/2013	Routine Inspection	0/0
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	7/11/2013	Complaint Inspection	Lettuce in good shape at time of inspection. There is a new store manager. Complaint was discussed.
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	7/26/2013	Routine Inspection	15/15 - FWC needed and improper storage of chemicals.
STREAMLINE SHAVED ICE CO.	Snack Bar	3714 TIETON DR	YAKIMA	7/29/2013	Routine Inspection	0/0
SUPERMEX OF YAKIMA	Grocery Store	316 3RD ST S	YAKIMA	7/3/2013	Compliance Inspection	75/80 Missing FWC, food not in good condition, raw meat stored above RTE food, improperly cooling PHF, RTS of PHF
TACO BELL # 5088	Restaurant	1602 W. NOB HILL BLVD	YAKIMA	7/29/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	7/5/2013	Routine Inspection	35/63 Missing FWCs, raw meat prepared next to ready to eat food, improperly cold held PHF, metal stem thermometer was not used to evaluate PHF temperature, unlabeled chemical
TAQUERIA EL RINCONSITO # 13	Restaurant	1001 N 1ST ST.	YAKIMA	7/11/2013	Routine Inspection	5/10 - Several FWC needed.
TAZZAH	Restaurant	1502-B SUMMITVIEW	YAKIMA	7/31/2013	Routine Inspection	40/45 Blocked hand wash sink, improperly cooling PHF
THE FUEL YARD	Espresso Stand	314 1ST AVE.	ZILLAH	7/15/2013	Routine Inspection	15/35 Ice scoop handle contacted the ice
THE RANCH TAVERN	Tavern	515 FRUITVALE BLVD.	YAKIMA	7/9/2013	Routine Inspection	0/0
TOWN PUMP FOOD MART	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	7/31/2013	Routine Inspection	25/25 Missing FWC, food not in good condition, improperly hot holding PHF, inaccurate metal stem thermometer
XPRESS MART	Mini-mart	503 FAIR AV	YAKIMA	7/3/2013	Follow-Up Inspection	0/0
YAKIMA SPEEDWAY	Snack Bar - Seasonal	1600 PACIFIC AVE.	YAKIMA	7/2/2013	Other Inspection	Verified hand wash sink connected to sewer pipe and hand wash sink for employees' restroom has a single faucet.