

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN # 2362-17080-C	Mini-mart	1512 SUMMITVIEW	YAKIMA	3/4/2014	Routine Inspection	0/0
901 PASTA	Restaurant/Catering	910 SUMMITVIEW AVE. SUITE # 7-A	YAKIMA	3/14/2014	Routine Inspection	45/56 Improperly cooling PHF, improperly cold holding PHF, unlabeled chemical
AHTANUM GENERAL STORE	Mini-mart	8301 AHTANUM	YAKIMA	3/4/2014	Routine Inspection	0/0
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	3/26/2014	Routine Inspection	0/0
BALLESTERI'S CAFE	Restaurant	4001 SUMMITVIEW AVE. # 3	YAKIMA	3/10/2014	Routine Inspection	15/20 Missing FWCs, chemical unlabeled, improper chemical storage
BEST WESTERN GRAPEVINE INN	Continental Brkfst	1849 QUAIL LANE	SUNNYSIDE	3/3/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BIG CHEESE PIZZA	Restaurant	2204-C W NOB HILL BLVD.	YAKIMA	3/17/2014	Routine Inspection	0/0 No problems.
BIRRIERIAS LA CHULA	Restaurant	306 S. 1ST ST.	YAKIMA	3/20/2014	Follow-Up Inspection	30/35 Improperly cooling PHF
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	3/27/2014	Routine Inspection	5/5 - Inaccurate metal stem thermometer.
BURGER KING	Restaurant	5905 SUMMITVIEW AVE.	YAKIMA	3/12/2014	Routine Inspection	10/10 Missing FWCs, raw meat stored above RTE food
CARNITAS SUPREME	Restaurant/Catering	5 N. "A" STREET	TOPPENISH	3/22/2014	Routine Inspection	45/53 Missing FWCs, hands not washed as required, improperly cold holding PHF, inaccurate metal stem thermometers
CAROUSEL FRENCH CUISINE	Restaurant	25 N. FRONT STREET	YAKIMA	3/20/2014	Routine Inspection	35/35 Missing FWCs, BHC with RTE food, raw meat stored above RTE food
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	3/19/2014	Routine Inspection	0/0
COCINA ISABEL	Restaurant	303 S. 13TH STREET	SUNNYSIDE	3/26/2014	Routine Inspection	0/0
COMFORT SUITES	Snack Bar	3702 FRUITVALE BLVD.	YAKIMA	3/13/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CONQUISTADOR	Restaurant/Catering	214 S. 6TH ST. UNIT # 7	SUNNYSIDE	3/11/2014	Routine Inspection	10/15 Handwash sink blocked, missing thermometers.
COOL BEANS	Espresso Stand	326 N. 1ST ST.	YAKIMA	3/18/2014	Routine Inspection	5/18 FWC's missing, plumbing leaking inside espresso.
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	3/27/2014	Routine Inspection	25/25 - Improper hot holding temperatures.
DAD'S FAMILY RESTAURANT	Restaurant	433 S ELM	TOPPENISH	3/6/2014	Routine Inspection	15/10 Inadequate handwashing facilities, no sanitizer in food prep areas
DAYS INN AND SUITES	Continental Brkfst	515 S. ELM STREET	TOPPENISH	3/7/2014	Routine Inspection	35/35 Room temperature storage, no paper towels at handwash sink.
DINEEN FAMILY VINEYARDS	Winery	2980 GILBERT RD. - ZILLAH	ZILLAH	3/20/2014	Routine Inspection	No problems.
DOLLAR TREE # 5342	Grocery Store	120 N. FAIR AVE. # 102	YAKIMA	3/10/2014	Routine Inspection	0/0
DOMINO'S PIZZA # 7164	Restaurant	1903 S 3RD AVE.	YAKIMA	3/17/2014	Routine Inspection	0/0 No problems.
EAGLE ROCK GROCERY	Grocery Store	8590 HWY 410	NACHES	3/21/2014	Routine Inspection	No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EAST VALLEY MARKET	Mini-mart	7208 POSTMA RD.	YAKIMA	3/13/2014	Routine Inspection	5/5 Improper hot holding of PHF's.
EL CHARRO TORTILLAS	Grocery Store	15 ALDER	TOPPENISH	3/18/2014	Routine Inspection	5/5 Missing FWC
EL PASTOR RESTAURANT	Restaurant	315 W. WALNUT	YAKIMA	3/31/2014	Routine Inspection	0/0
EL PORTON	Restaurant/Catering	420 S. 48TH AVE.	YAKIMA	3/18/2014	Routine Inspection	0/7 Wall needs to be patched.
FIFTH AVE DELI	Deli	415 W. WALNUT	YAKIMA	3/14/2014	Routine Inspection	0/0
FUEL COFFEE HOUSE	Espresso Stand	28 N. 1ST. ST. - YAKIMA	YAKIMA	3/14/2014	Routine Inspection	5/5 - Several FWC needed.
FUENTES DE FRUTAS	Juice Bar	12 W WASHINGTON	YAKIMA	3/5/2014	Routine Inspection	5/5 - Expired FWC.
GOLDEN WHEEL RESTAURANT	Restaurant	11 S. 1ST STREET	YAKIMA	3/18/2014	Routine Inspection	80/87 Improperly stocked hand wash sinks, raw meat stored above RTE food, improperly cooling rice, improperly hot holding chow mein, inaccurate metal stem thermometer, unlabeled chemical, improper chemical storage
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	3/17/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HILTON GARDEN INN	Restaurant/Catering	401 E YAKIMA AVE	YAKIMA	3/13/2014	Routine Inspection	0/0
JAMMIN JAVA	Espresso Stand	16981 SUMMITVIEW	COWICHE	3/14/2014	Routine Inspection	0/0
JITTER BEAN ESPRESSO BAR	Espresso Stand	401 W. NOB HILL BLVD.	YAKIMA	3/31/2014	Routine Inspection	0/5 Ice scoop stored in dirty container.
JITTERZ ESPRESSO	Espresso Stand	700 YAKIMA VALLEY HWY.	SUNNYSIDE	3/24/2014	Routine Inspection	15/18 Closed them. No hot water was available, missing FWCs
				3/25/2014	Opening Inspection	5/8 They have hot water. OK to open. Missing FWCs
KENTUCKY FRIED CHICKEN	Restaurant	108 & 110 40TH AV N	YAKIMA	3/4/2014	Routine Inspection	50/63 RTS of PHF, Improperly cooling PHF
				3/18/2014	Follow-Up Inspection	0/3
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	3/21/2014	Routine Inspection	5/20 - All FWC expired.
LA BARATA - WAPATO	Meat Market	304 S. WAPATO AVE.	WAPATO	3/10/2014	Routine Inspection	30/30 - Several expired FWC and PHF at room temperature.
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	3/31/2014	Routine Inspection	65/70 - FWC needed, BHC with baked goods, inadequate handwash sink, and food at room temperature.
MAGIC'S PIZZA SHACK	Restaurant	309 S 1ST ST.	SELAH	3/11/2014	Routine Inspection	25/25 - Improper cooling.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARISCOS MARY TIERRA RESTAURANTE	Restaurant	302 MAIN STREET	GRANGER	3/10/2014	Routine Inspection	40/48 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, RTS of PHF
				3/25/2014	Follow-Up Inspection	30/35 Missing FWCs, RTS of PHF
MAVERIK # 428	Mini-mart	1601 E. LINCOLN	SUNNYSIDE	3/3/2014	Routine Inspection	5/5 Missing FWCs
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	3/5/2014	Routine Inspection	10/10 Improper chemical storage
				3/5/2014	Complaint Inspection	No cockroaches were seen during the inspection.
				3/21/2014	Routine Inspection	5/13 - Several expired FWC.
MELISSA'S CATERING	Mobile	839 W 1st St, Toppenish	TOPPENISH	3/7/2014	Surveillance Inspection	They were caught cooking at home. Did not have a commissary. They were closed until they got a commissary (same day).
MT. CLEMANS CHEVRON	Mini-mart	9881 U.S. HWY. 12	NACHES	3/10/2014	Routine Inspection	10/10 Handwash sink missing paper towels.
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH			
				3/5/2014	Follow-Up Inspection	0/0
PANADERIA DELICIAS	Bakery	1401 FRUITVALE BLVD	YAKIMA	3/10/2014	Follow-Up Inspection	35/40 RTS of PHF, unlabeled chemicals
PAPA JOHN'S PIZZA	Restaurant	3508 SUMMITVIEW	YAKIMA	3/10/2014	Routine Inspection	20/23 Missing FWCs, no metal stem thermometer was available, incorrectly labeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	3/19/2014	Routine Inspection	0/0
PIZZA HUT #23	Restaurant	3915 N. KERN ROAD	YAKIMA	3/17/2014	Routine Inspection	0/5 Dishwasher not working.
PUERTO ESCONDIDO	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	3/10/2014	Routine Inspection	20/25 Missing FWCs, hands not washed as required
RITE AID # 5296	Grocery Store	2204-B W. NOB HILL BLVD.	YAKIMA	3/17/2014	Routine Inspection	No problems.
SAFEWAY # 1235	Grocery Store	2204-A W. NOB HILL BLVD.	YAKIMA	3/26/2014	Routine Inspection	No problems.
SAFEWAY FUEL STATION # 1235	Mini-mart	2112 W. NOB HILL BLVD.	YAKIMA	3/26/2014	Routine Inspection	No problems.
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	3/19/2014	Routine Inspection	60/95 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, raw meat stored above RTE food, improperly reheating PHF for hot holding
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	3/24/2014	Routine Inspection	0/0
SEOUL TERI - HOUSE	Restaurant	8 N 7TH AVE.	YAKIMA	3/13/2014	Routine Inspection	20/28 Potential cross contamination during prep & storage, plumbing issues with kitchen hand sink, toilet must be made accessible to patrons.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SHAW & SONS FUNERAL DIRECTORS		201 2ND ST N	YAKIMA	3/24/2014	Routine Inspection	No problems.
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	3/17/2014	Routine Inspection	0/0
SLIM'S MARKET	Grocery Store	9951 HIGHWAY 12	NACHES	3/10/2014	Routine Inspection	0/0 No problems.
SNYDER'S GERMAN SAUSAGE HAUS	Meat Market	3504 W NOB HILL BLVD.	YAKIMA	3/7/2014	Routine Inspection	0/0
STOKES BURGER RANCH	Restaurant	706 YAKIMA VALLEY HWY.	SUNNYSIDE	3/7/2014	Routine Inspection	35/40 BHC with RTE food, unlabeled chemicals
SUBWAY # 13437	Restaurant	103 1ST ST N	SELAH	3/19/2014	Routine Inspection	5/13 Missing FWCs
SUBWAY # 39961	Restaurant	2675 E. LINCOLN AVE.	SUNNYSIDE	3/7/2014	Routine Inspection	30/38 Missing FWCs, RTS of PHF
SUBWAY # 46331	Restaurant	4001 SUMMITVIEW AVE. # 12	YAKIMA	3/17/2014	Routine Inspection	0/0
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	3/18/2014	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	3/27/2014	Routine Inspection	25/25 - Improper hot holding temperatures.
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	3/17/2014	Routine Inspection	0/0
SUPER BAKERY (SUNNYSIDE)	Bakery	111 N. 6TH ST. # B	SUNNYSIDE	3/5/2014	Routine Inspection	5/8 Missing FWCs
SUPER TACOS (BLDG.)	Restaurant	544 S. 6TH STREET	SUNNYSIDE	3/13/2014	Routine Inspection	20/30 Missing FWCs, raw meat stored above ready to eat food, improperly cold holding PHF
TACO BELL # 5511	Restaurant	2550 YAKIMA VLY HWY	SUNNYSIDE	3/20/2014	Routine Inspection	5/13 Missing FWCs
TACO BELL # 5733	Restaurant	4001 FRUITVALE BLVD	YAKIMA	3/12/2014	Routine Inspection	0/0
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	3/26/2014	Routine Inspection	30/30 - BHC with ready to eat food and expired FWC.
TACOS APATZINGAN	Restaurant/Catering	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	3/5/2014	Routine Inspection	35/46 Missing FWCs, raw meat stored above RTE food, RTS of PHF
				3/20/2014	Follow-Up Inspection	15/23 Improperly stocked hand wash sink, raw meat stored above RTE food
TAQUERIA DELICIAS	Mobile	1402 S. 1ST ST.- YAKIMA	YAKIMA	3/28/2014	Routine Inspection	No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA LOS PRIMOS # 4	Restaurant	103 N. 1ST ST. # H	SELAH	3/19/2014	Compliance Inspection	5/5 Raw meat stored next to RTE food
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	3/13/2014	Follow-Up Inspection	5/10 Missing FWCs
				3/24/2014	Compliance Inspection	30/35 Missing FWCs, BHC with RTE food
THE JAMMER	Tavern	2310 RUDKIN RD.	UNION GAP	3/24/2014	Routine Inspection	0/0
THE MAJESTIC THEATRE	Snack Bar	1919 S. 14TH ST.	UNION GAP	3/18/2014	Routine Inspection	0/0
THE MARKET PLACE DELI / TOM TOM ESPRESSO	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	3/24/2014	Routine Inspection	10/20 Handwash sink missing hot water.
THE ORION CINEMA AND MICKEY'S PUB	Restaurant/Lounge	202 E CHESTNUT STR	YAKIMA	3/11/2014	Routine Inspection	0/5 Dishwasher was not sanitizing properly.
THE WAREHOUSE RESTAURANT & LOUNGE	Restaurant/Lounge	705 RAILROAD AVE	ZILLAH	3/20/2014	Routine Inspection	35/38 Inadequate HW sink, room temperature storage. Follow up needed.
TOPPENISH COMMUNITY CHEST	Serving Site	4 N. "B" STREET	TOPPENISH	3/6/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TROUT LODGE	Restaurant	27090 HWY. 12	NACHES	3/21/2014	Routine Inspection	25/30 RTS of PHF
URM CASH & CARRY	Grocery Store	14 S. 5TH AVENUE	YAKIMA	3/24/2014	Routine Inspection	No problems.
WALMART #2269	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	3/24/2014	Routine Inspection	5/18 No metal stem thermometer was available
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	3/19/2014	Routine Inspection	0/0
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	3/24/2014	Routine Inspection	0/0
WOMEN'S CENTURY CLUB		304 N 2ND ST.	YAKIMA	3/13/2014	Routine Inspection	0/0
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	3/21/2014	Routine Inspection	55/73 Missing FWCs, hands not washed as required, raw meat stored above RTE food, inaccurate metal stem thermometer, need to place consumer advisory on lunch/dinner menu, unlabeled degreaser spray
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	3/6/2014	Follow-Up Inspection	25/33 Missing FWC, hands not washed as required, improperly hot holding PHF
				3/19/2014	Compliance Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
XOCHIMILCO TEQUILA BAR & RESTAURANT	Restaurant/Lounge	5110 TIETON DR. # 270	YAKIMA	3/4/2014	Follow-Up Inspection	15/15 - Improper storage of in-use utensils. See inspection report regarding size of kitchen.
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	3/17/2014	Routine Inspection	55/60 - Several FWC needed, improper hot holding, and PHF at room temperature storage.
YAKIMA CINEMA	Snack Bar	1305 N. 16TH AVE.	YAKIMA	3/12/2014	Routine Inspection	0/0
ZINGIS MONGOLIAN B.B.Q.	Restaurant	2810 E. LINCOLN AVE	SUNNYSIDE	3/7/2014	Routine Inspection	35/45 Improperly cooling PHF, improper chemical storage
				3/24/2014	Follow-Up Inspection	0/10