

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AHOY FISH & CHIPS	Restaurant	913 W. YAKIMA AVE.	YAKIMA	3/30/2015	Routine Inspection	40/47 HW missing soap/paper towels, BHC w/RTE foods, missing FWC's. Follow up needed.
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	3/18/2015	Routine Inspection	0/0
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	3/12/2015	Routine Inspection	0/0
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	3/30/2015	Routine Inspection	15/20 Missing FWCs, improperly cold holding PHF
BALE BREAKER BREWING COMPANY		1801 BIRCHFIELD ROAD	MOXEE	3/20/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BIG WOLF MINI MARKET	Mini-mart	67831 HIGHWAY 97	WAPATO	3/9/2015	Routine Inspection	35/35 inadequate handwashing facilities, improper hot holding of PHF
BLACK ANGUS STEAKHOUSE	Restaurant	501 N FRONT ST.	YAKIMA	3/18/2015	Routine Inspection	0/0
BOB'S DRIVE IN	Restaurant	108 E. HWY 12.(YAKIMA VALLEY HWY.)	SUNNYSIDE	3/19/2015	Routine Inspection	25/33 BHC with RTE food
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	3/5/2015	Routine Inspection	25/25 BHC with RTE foods.
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	3/3/2015	Routine Inspection	5/5 Food prep sink is broken. They have one week to get it fixed.
BUFFALO WILD WINGS	Restaurant/Lounge	2551 MAIN ST. (BUFFALO WILD WINGS)	UNION GAP	3/16/2015	Routine Inspection	40/45 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
CARNICERIA LA CABANA	Meat Market	1602 MORGAN RD	SUNNYSIDE	3/9/2015	Follow-Up Inspection	They have added sink to the mobile unit outside. (see pictures in imaging)
CIRCLE K STORE #2706042	Mini-mart	10171 HWY 12	NACHES	3/6/2015	Routine Inspection	10/10 inadequate hand wash facilities
CONQUISTADOR	Restaurant/Catering	214 S. 6TH ST. UNIT # 7	SUNNYSIDE	3/27/2015	Routine Inspection	25/30 Improper cooling of PHF's, ice scoop stored in ice bin.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	3/16/2015	Routine Inspection	20/20 Improperly reheating PHF, inaccurate metal stem
CROSSROADS MARKET	Grocery Store	4641 N. TRACK RD.	WAPATO	3/5/2015	Routine Inspection	0/0
DAD'S DREAM BAKERY & CAKES	Bakery	807 WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	3/16/2015	Pre-Opening Inspection	
DENNY'S RESTAURANT # 7869	Restaurant	2603 RUDKIN RD	UNION GAP	3/25/2015	Routine Inspection	13/0 Missing appropriate sanitizer in food prep/service areas, dishwasher was not sanitizing properly, dirty non-food contact surfaces
DICKY'S B.B.Q. RESTAURANT PIT # 1083	Restaurant	2706 W. NOB HILL BLVD. - YAKIMA	YAKIMA	3/16/2015	Pre-Opening Inspection	Several items needing correction. See report in imaging.
				3/18/2015	Pre-Opening Inspection	Approved to open
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	3/10/2015	Follow-Up Inspection	They have corrected problems from previous inspection.
DUTCH BROS. COFFEE	Espresso Stand	2630 YAKIMA VALLEY HWY. - SUNNYSIDE	SUNNYSIDE	3/19/2015	Routine Inspection	10/16 Unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	3/18/2015	Routine Inspection	60/70 PIC did not answer correctly, improperly stocked hand wash sink, improperly cooling PHF, improperly cold holding PHF, unlabeled chemicals
EL MIRADOR MEXICAN RESTAURANT	Restaurant	418 W. WALNUT	YAKIMA	3/1/2015	Routine Inspection	45/53 BHC with RTE food, improperly stocked hand wash sink, unlabeled chemicals
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	3/9/2015	Follow-Up Inspection	0/5
FAMOUS DAVE'S	Rest/Lounge/Catering	1504 E WASHINGTON AVE. - UNION GAP	UNION GAP	3/16/2015	Routine Inspection	5/5 Inadequate cold holding of PHF.
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	3/13/2015	Routine Inspection	60/73 Missing FWCs, improperly stocked hand wash sink, blocked hand wash sink, raw meat stored above RTE food, improperly hot holding PHF, improperly cold holding PHF, metal stem thermometer was not used to evaluate temperatures of PHF
GROMORE TRADING	Mini-mart	14411 WIDE HOLLOW RD	YAKIMA	3/30/2015	Routine Inspection	0/0
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	3/13/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	3/18/2015	Routine Inspection	35/40 Room temperature storage of PHF's, HW sink full of cans, kitchen is cluttered with personal items. Follow up required.
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	3/18/2015	Routine Inspection	30/35 Bare hand contact with RTE food, missing FWC
KENTUCKY FRIED CHICKEN/A&W	Restaurant	2325 S 1ST ST	YAKIMA	3/16/2015	Complaint Inspection	No signs of uncleanliness. Manager said that she worked that night and there were no workers eating and working at the same time.
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	3/17/2015	Routine Inspection	0/0 No problems.
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	3/10/2015	Routine Inspection	25/25 Bare hand contact with RTE foods.
LAREDO DRIVE-IN	Restaurant	9921 HWY. 12	NACHES	3/25/2015	Routine Inspection	25/30 Hands not washed as required
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	3/18/2015	Routine Inspection	5/5 Missing FWC
LITTLE DUTCH INN	Tavern	214 N 6TH AVE.	YAKIMA	3/3/2015	Routine Inspection	10/10 HW sink missing soap.
LOS HERNANDEZ TAMALES	Restaurant	3706 MAIN ST	UNION GAP	3/16/2015	Routine Inspection	10/18 Missing FWC, metal stem thermometer was not used to evaluate temperature of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LOS NARANJOS BAKERY	Bakery	100 E. 3RD ST.	GRANGER	3/16/2015	Routine Inspection	0/0
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	3/30/2015	Routine Inspection	30/35 Missing FWCs, hands not washed as required
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	3/17/2015	Routine Inspection	45/45 Selling tamales they bought from illegal vendor. Improper room temperature storage of PHF's (meat/chorizo drying out at room temperature). Not keeping shelfish tags. Follow up needed.
MOLCAJETES FAMILY MEXICAN RESTAURANT	Restaurant	201 DIVISION STREET	GRANDVIEW	3/11/2015	Routine Inspection	35/30 Expired FWCs, RTS of PHF, improperly sanitizing dishwasher
MT. CLEMANS CHEVRON	Mini-mart	9881 U.S. HWY. 12	NACHES	3/25/2015	Routine Inspection	30/35 Missing FWCs, improperly hot holding PHF
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	3/18/2015	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	4900 TIETON DRIVE	YAKIMA	3/30/2015	Routine Inspection	0/0
PICKADILLY'S CAFE BISTRO	Restaurant	1017 S 48TH AVE #A	YAKIMA	3/18/2015	Routine Inspection	10/10 Inadequate cold holding of PHF
PIRATE COVE DAVIS STUDENT STORE	Snack Bar	212 S. 6TH AVE	YAKIMA	3/9/2015	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIT STOP	Mini-mart	10121 HWY 12	NACHES	3/2/2015	Routine Inspection	30/35 Missing FWC, improperly stocked hand wash sink, no metal stem thermometer was available, unlabeled chemical
POLLO LOCO LOS PANDAS	Restaurant	1314 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	3/5/2015	Follow-Up Inspection	0/0 All previous issues have been fixed.
RESTAURANTE EL FARO	Restaurant	111 N. 6TH STREET # C	SUNNYSIDE	3/5/2015	Routine Inspection	5/5 One worker missing FWC.
RESTAURANTE LA MIRA	Restaurant	633 EDISON	SUNNYSIDE	3/5/2015	Routine Inspection	0/0
RIMROCK LAKE RESORT	Deli	37590 US HWY 12	NACHES	3/6/2015	Routine Inspection	0/0
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	3/27/2015	Routine Inspection	0/5 Broken thermometer.
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	3/20/2015	Routine Inspection	35/35 Missing FWC, improperly stocked hand wash sink, improperly reheated PHF for hot holding, no metal stem thermometer was available
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	3/23/2015	Routine Inspection	13/10 Bar hand sink without hot water, dirty non-food-contact surfaces
SELAH RED APPLE MARKET	Grocery Store	121 E. 3RD AVENUE	SELAH	3/3/2015	Routine Inspection	10/10 Improperly cold holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	3/1/2015	Routine Inspection	0/0
SILVER CREEK BAR & GRILL	Tavern	108 ILER ST.	MOXEE	3/26/2015	Routine Inspection	53/40 RTS of PHF, Improper reheating of PHF, Poor prevention of potential food contamination, Missing sanitizer, Dirty surfaces
STACI'S CATERING	Catering	3108 W WASHINGTON AVE SUITE #100	YAKIMA	3/3/2015	Routine Inspection	0/0
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	3/9/2015	Routine Inspection	35/35 Improperly hot held PHF's, HW sink missing paper towels.
SUBWAY	Restaurant	631 1ST ST W	WAPATO	3/16/2015	Routine Inspection	5/5 Missing FWCs
SUPER BAKERY (SUNNYSIDE)	Bakery	111 N. 6TH ST. # B	SUNNYSIDE	3/27/2015	Routine Inspection	30/30 Improper handling of pooled eggs, room temperature storage.
TAQUERIA EL CUBILETE	Mobile	3215 RIVER ROAD, YAKIMA	YAKIMA	3/9/2015	Pre-Opening Inspection	See inspection sheet.
				3/27/2015	Pre-Opening Inspection	Approved to open.
THE MURAL	Restaurant	113 TOPPENISH AVE.	TOPPENISH	3/20/2015	Routine Inspection	0/0
THE NINETEENTH HOLE CAFE	Snack Bar	1107 S. 18TH STREET - YAKIMA	YAKIMA	3/4/2015	Surveillance Inspection	Not operating

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE TACO SHACK	Restaurant/Catering	130 E NACHES	SELAH	3/2/2015	Routine Inspection	15/23 Missing FWC, improperly stocked hand wash sink
TIENDA DE ABARROTOS LOS AMIGOS	Meat Market	209 S. WAPATO AVE. - WAPATO	WAPATO	3/26/2015	Pre-Opening Inspection	They are good to go as soon as they add indirect drain to the 3 compartment sink.
TIENDITA LOS AMIGOS	Restaurant	302 MAIN STREET	GRANGER	3/19/2015	Routine Inspection	40/45 Improperly stocked hand wash sink, raw meat stored above RTE food, improperly hot holding PHF
TWIGS BISTRO AND MARTINI BAR	Rest/Lounge/Catering	2529 MAIN ST. SUITE # D-24 - UNION GAP	UNION GAP	3/12/2015	Routine Inspection	0/5 Dishwasher was not dispensing sanitizer.
WALGREENS # 09911	Grocery Store	4001 SUMMITVIEW AVE. # 3	YAKIMA	3/31/2015	Routine Inspection	OK
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	3/6/2015	Follow-Up Inspection	They have corrected all problems from previous inspection.
WHIPS	Espresso Stand	622 2ND AVE	ZILLAH	3/5/2015	Surveillance Inspection	Attempted inspection. Food service does not appear to be in operation.
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	3/13/2015	Routine Inspection	0/0
YAKIMA VALLEY JUSTICE CENTER	Jail	1500 PACIFIC	YAKIMA	3/17/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ZIRKLE FRUIT COMPANY	Restaurant	352 HARRISON	SELAH	3/19/2015	Routine Inspection	30/25 Improper cooling of PHF, dishwasher was improperly sanitizing