

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Catering	5 N. FRONT ST. SUITE # 103	YAKIMA	12/23/2015	Routine Inspection	85/100 Missing FWCs, BHC with RTE food, raw meat stored above RTE food, improperly cooling PHF, RTS of PHF
7-ELEVEN #2307-22714J	Mini-mart	1711 E. NOB HILL BLVD.	YAKIMA	12/4/2015	Routine Inspection	0/0
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	12/2/2015	Routine Inspection	0/0 No problems.
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	12/9/2015	Routine Inspection	0/0
ALLEN'S MARKET	Mini-mart	160 S. WAPATO RD.	WAPATO	12/28/2015	Routine Inspection	10/13 Handwash sink is missing paper towels. Light in the employee restroom is out.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
APPLE BARREL	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	12/2/2015	Routine Inspection	0/0
APPLE CITY SALAMI	Mobile	FARMERS MARKET	YAKIMA	12/5/2015	Routine Inspection	0/0
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	12/9/2015	Routine Inspection	0/0
ARAMARK CORRECTIONAL SERVICES	Jail	111 N FRONT ST.	YAKIMA	12/29/2015	Routine Inspection	5/10 PIC answered incorrectly
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	12/10/2015	Routine Inspection	0/0
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	12/23/2015	Routine Inspection	75/86 Missing FWC, hands not washed as required, raw meat stored above ready to eat food, RTS of PHF, inaccurate metal stem thermometer, unlabeled chemical
BUHRMASTER BAKING CO.	Bakery	605 E. NOB HILL BLVD.	YAKIMA	12/23/2015	Pre-Opening Inspection	Facility approved to open when fees have been paid.
BURGER KING # 9876	Restaurant	3201 PICARD PLACE	SUNNYSIDE	12/23/2015	Routine Inspection	0/11 Coving missing at floor-wall juncture, dirty flooring, missing handwashing signs at restroom handsinks

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	12/4/2015	Routine Inspection	0/5 Dishwasher temp gauge is not functioning.
CI MART CHEVRON	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	12/2/2015	Routine Inspection	20/25 Expired FWC, inadequate handwash facilities, inaccurate metal stem thermometer, utensils not being sanitized during cleaning process.
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	12/10/2015	Routine Inspection	0/0
CLASSIC EVENTS CATERING	Catering	5453 ASHUE RD	WAPATO	12/30/2015	Routine Inspection	They do not have any catering events scheduled until May.
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	12/10/2015	Routine Inspection	10/10 No paper towels at handwash sink
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	12/9/2015	Routine Inspection	0/0
COUNTRYSIDE CATERING & THE FLOUR SHOP CAFE	Bakery	810 W. 2ND STREET	GRANDVIEW	12/11/2015	Routine Inspection	12-11-2015 Routine Inspection, also inspecting for weekend itinerant; using bakery for prep work. 0/0
DAILY BUZZ	Espresso Stand/Deli	610 S 6TH ST.	SUNNYSIDE	12/17/2015	Routine Inspection	10/13 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	12/29/2015	Routine Inspection	0/5 Kitchen needs cleaning/children in food prep areas.
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	12/15/2015	Routine Inspection	0/0 No problems.
DRIFT INN	Restaurant	10450 HWY 12	NACHES	12/31/2015	Routine Inspection	20/15 Inadequate handwashing facilities, improper hot holding of PHF, dishwasher not sanitizing properly
EARLY CHILDHOOD CENTER	School	601 EAST "E" STREET	GRANGER	12/3/2015	Routine Inspection	0/5 No temperature monitoring system for dishwasher sanitizing cycle.
EAST VALLEY ELEMENTARY SCHOOL	School	1951 BEAUDRY RD	YAKIMA	12/7/2015	Routine Inspection	0/5 nonworking temperature gauge on dishwasher.
EAST VALLEY HIGH SCHOOL	School	1900 BEAUDRY	YAKIMA	12/7/2015	Routine Inspection	0/0
EAST VALLEY MIDDLE SCHOOL	School	2010 BEAUDRY RD.	YAKIMA	12/7/2015	Routine Inspection	10/10 Inadequate hand washing facilities
EISENHOWER HIGH SCHOOL "CONCESSIONS"	Seasonal Concession	611 S. 44TH AVE. - YAKIMA	YAKIMA	12/2/2015	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL COMPADRE	Restaurant	1012 E. LINCOLN AVE.	SUNNYSIDE	12/7/2015	Routine Inspection	5/24 Expired FWC's, improper thawing of PHF, ice-scoop stored in ice chest with handle touching ice, no sanitizer being used for dishwashing, no handwash signs in restrooms, potential food contamination
EL FARO MARISCOS & CANTINA	Restaurant/Lounge	1402 S 1ST ST.	YAKIMA	12/22/2015	Routine Inspection	23/20 Missing FWCs, Inadequate handwashing facilities, missing accurate thermometer, surfaces in disrepair
EL GRULLENSE RESTAURANT & TAQUERIA #2	Restaurant	1514 S 1ST ST	YAKIMA	12/9/2015	Routine Inspection	15/36 Raw meat stored above RTE food, improper chemical storage
EL PARRILLON LOCO de TOM AND GERRY	Restaurant	511 N. 1ST STREET # 12	YAKIMA	12/5/2015	Routine Inspection	10/10 Raw meats stored above other foods, no thermometer available at the outside grill.
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	12/14/2015	Routine Inspection	55/70 Several missing FWCs, hands not washed as required, BHC, using a bucket with no handle as an ice-scoop, several thermometers missing from hot-holding and refrigeration units, no sanitizer test strips for dishwasher, dirty containers for cooking utensils.
ESPRESSO EXPRESS	Espresso Stand	3706 TIETON DR	YAKIMA	12/10/2015	Routine Inspection	0/0
FAMOUS BURGER & TERIYAKI SANDWICH	Restaurant	401 W. LINCOLN AVE.	YAKIMA	12/30/2015	Routine Inspection	0/5 Potential food contamination during storage.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	12/9/2015	Routine Inspection	25/3 Proper barriers need to be used to prevent bare hand contact with ready-to-eat foods. Non-food contact surfaces need to be maintained and clean.
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	12/2/2015	Routine Inspection	0/0 No problems.
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	12/2/2015	Routine Inspection	0/0 No problems.
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	12/30/2015	Routine Inspection	5/18 Expired FWC, cup stored in ice-chest, no sanitizer or test strips for warewash machine, no handwash sign in employee restroom
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	12/10/2015	Routine Inspection	0/0
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	12/10/2015	Routine Inspection	0/0
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	12/3/2015	Routine Inspection	0/0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	12/3/2015	Routine Inspection	0/0
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	12/15/2015	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	12/10/2015	Routine Inspection	0/0
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	12/4/2015	Routine Inspection	10/15 Inadequate hand washing facilities, inaccurate dishwasher temperature gauge.
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	12/9/2015	Routine Inspection	0/0 No problems.
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/7/2015	Routine Inspection	5/5 Several expired FWC's.
HOLY TRINITY EPISCOPAL CHURCH		327 E EDISON AVE	SUNNYSIDE	12/17/2015	Routine Inspection	5/5 No metal stem thermometer available
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	12/2/2015	Routine Inspection	0/0 No problems.
JACK IN THE BOX # 8300	Restaurant	2317 S 1ST STREET	YAKIMA	12/30/2015	Routine Inspection	15/15 No FWC available during inspection, broken paper towel dispenser at handwash sink
JOHN CAMPBELL PRIMARY	School	408 N. 1ST ST	SELAH	12/11/2015	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KENTUCKY FRIED CHICKEN	Restaurant	108 & 110 40TH AV N	YAKIMA	12/4/2015	Routine Inspection	5/5 Metal stem thermometer is not used to evaluate temperature of PHF.
				12/29/2015	Routine Inspection	20/20 Handwash sink improperly stocked, improper cold holding of PHF
LATINO MARKET	Mini-mart	502 W. 1ST STREET	TOPPENISH	12/28/2015	Routine Inspection	0/0 No problems.
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	12/2/2015	Routine Inspection	0/0 No problems.
LITTLE CAESARS # 205	Restaurant	2010 YAKIMA VALLEY HWY. # A-2	SUNNYSIDE	12/7/2015	Routine Inspection	0/5 Temperature guage on hot holding unit is inaccurate.
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 1ST AVENUE	TOPPENISH	12/28/2015	Routine Inspection	Attempted inspection, they are not open Mondays.
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	UNION GAP	12/2/2015	Routine Inspection	0/0 No problems.
MERCADO LA PLAZITA & CARNICERIA	Mult Food Service	715 W. WINE COUNTRY RD.	GRANDVIEW	12/30/2015	Routine Inspection	35/45 RTS of PHF, improper chemical storage
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	UNION GAP	12/24/2015	Routine Inspection	5/15 Inaccurate metal stem thermometer, wiping cloths improperly stored, no sanitizer is being used in warewashing machine



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	12/10/2015	Routine Inspection	0/0
MOXEE ELEMENTARY SCHOOL	School	528 E. SEATTLE	MOXEE	12/7/2015	Routine Inspection	0/0
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	12/7/2015	Routine Inspection	0/0 No problems.
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	12/7/2015	Routine Inspection	0/0 No problems.
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	12/7/2015	Routine Inspection	0/0 No problems.
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	12/8/2015	Routine Inspection	0/0 No problems.
NINO'S MEXICAN GRILL	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	12/18/2015	Routine Inspection	55/60 Expired FWC, BHC with RTE food, improper cooling of PHF, missing thermometer in refrigerator. Follow-up inspection is required.
OASIS 100% NATURAL	Juice Bar	1704 MEAD AV E	UNION GAP	12/4/2015	Routine Inspection	Attempted inspection. Establishment was locked during open hours.
				12/9/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OLD TOWN PUMP SALOON	Restaurant/Lounge	3716 MAIN STREET	UNION GAP	12/4/2015	Routine Inspection	30/30 Expired FWC, improper cooling of PHF.
ORCHARD PARK	Retirement Housing	620 N. 34TH AVENUE	YAKIMA	12/23/2015	Routine Inspection	0/0
OUTBACK STEAKHOUSE	Restaurant/Catering	2412 RUDKIN RD.	UNION GAP	12/14/2015	Routine Inspection	10/18 Food found in poor condition, missing thermometer in refrigeration unit, ice-scoop improperly stored.
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	12/4/2015	Routine Inspection	0/0
PEACE LOVE AND COFFEE	Espresso Stand	101 STOVER RD	GRANDVIEW	12/28/2015	Pre-Opening Inspection	Due to the small size of sink compartments, a basin will be needed for the sanitizing step. Once this is obtained, the facility is approved to open.
PEPP'R MINT STICK DRIVE IN	Restaurant	4002 MAIN ST	UNION GAP	12/4/2015	Routine Inspection	35/35 Expired FWC, hands not washed as required, inaccurate metal stem thermometer.
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	12/4/2015	Routine Inspection	0/0
PORTSIDE CONOCO	Mini-mart	1829 S 1ST STREET	SUNNYSIDE	12/7/2015	Routine Inspection	20/20 Expired FWC, broken handwash sink, inaccurate metal stem thermometer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUALITY INN & SUITES (TOPPENISH)	Continental Brkfst	511 S ELM ST	TOPPENISH	12/23/2015	Routine Inspection	10/10 Unlabeled chemical
RASPADOS DONA CHELITO	Espresso Stand	511 N. 1ST STR. # 2	YAKIMA	12/18/2015	Routine Inspection	Attempted routine inspection but facility was closed.
RITE AID # 5297	Grocery Store	2519 MAIN STREET	UNION GAP	12/4/2015	Routine Inspection	0/0
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	12/10/2015	Routine Inspection	0/0
RIVERSIDE CHRISTIAN SCHOOL	School	721 KEYS RD.	YAKIMA	12/11/2015	Routine Inspection	0/0
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	12/9/2015	Routine Inspection	0/5 Working thermometers needed in refrigeration units.
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	12/10/2015	Routine Inspection	10/20 Missing FWC, inadequate metal stem thermometer
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	12/3/2015	Routine Inspection	0/0
SCHWAN'S HOME SERVICE, INC.		1502 PIERCE STREET	UNION GAP	12/22/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH ACADEMY & ELC	School	316 W NACHES	SELAH	12/11/2015	Routine Inspection	0/0 No problems.
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	12/11/2015	Routine Inspection	0/0 No problems.
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	12/11/2015	Routine Inspection	0/0 No problems.
SELAH MIDDLE SCHOOL	School	411 N. 1ST ST.	SELAH	12/11/2015	Routine Inspection	0/0 No problems.
SHIRLEY'S CAKES	Bakery	10 ECHO CT	YAKIMA	12/30/2015	Routine Inspection	0/0
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	12/7/2015	Routine Inspection	10/10 Inadequate hand washing facilities.
SKY BAR & LOUNGE	Restaurant/Lounge	13 S. 1ST ST.	YAKIMA	12/30/2015	Routine Inspection	Routine inspection attempted but facility was closed
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	12/9/2015	Routine Inspection	0/0
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	12/8/2015	Routine Inspection	0/0
STANTON ACADEMY	School	802 RIVER RD.	YAKIMA	12/7/2015	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	12/23/2015	Routine Inspection	0/0
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	12/10/2015	Routine Inspection	0/0
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	12/28/2015	Routine Inspection	5/10 Expired and missing FWC's, washing machine temperature guage is inoperable
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	12/4/2015	Routine Inspection	10/10 Inadequate hand washing facilities.
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	12/4/2015	Routine Inspection	0/0
SUNNYSIDE INN BED & BREAKFAST	Bed & Breakfast	804 E EDISON AVE.	SUNNYSIDE	12/7/2015	Routine Inspection	0/0
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	12/7/2015	Routine Inspection	5/5 No thermometer in walk-in refrigerator.
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	12/28/2015	Routine Inspection	15/22 Improper re-heating of PHF's, potential food contamination, facility needs a good cleaning.
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	12/23/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA DIANA	Mobile	330 NORTH STREET - MABTON	MABTON	12/23/2015	Routine Inspection	Food service was not in operation at time of inspection. Next routine inspection has been rescheduled.
TAQUERIA EL RINCONSITO # 13	Restaurant	1001 N 1ST ST.	YAKIMA	12/4/2015	Routine Inspection	0/5 Dishwasher was not dispensing sanitizer.
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	12/28/2015	Routine Inspection	0/0 No problems.
TERRACE HEIGHTS ELEMENTARY	School	101 N 41ST STREET	YAKIMA	12/7/2015	Routine Inspection	0/0
THE CITY MIX	Restaurant	101 S. RIVARD #B	MOXEE	12/18/2015	Routine Inspection	30/30 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, unlabeled chemical
THE PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	12/21/2015	Routine Inspection	5/10 Missing FWCs
THE SODA FOUNTAIN	Restaurant	2105 TIETON DR	YAKIMA	12/10/2015	Routine Inspection	0/2 Permit needs to be visibly posted on-site (current copy mailed to owner).
THE SPICY QUESADILLA	Restaurant	227 S TOPPENISH AVE.	TOPPENISH	12/28/2015	Pre-Opening Inspection	
THE VINEYARD CAFE, ESPRESSO & DELI	Restaurant	150 DIVISION ST.	GRANDVIEW	12/30/2015	Routine Inspection	45/52 Improperly stocked hand wash sink, improperly hot holding PHF, improperly cold holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TIENDITA LOS AMIGOS	Restaurant	302 MAIN STREET	GRANGER	12/23/2015	Routine Inspection	95/105 PIC failed to demonstrate proper knowledge of food safety, hands not washed as required, improperly stocked hand wash sink, improperly hot holding PHF, RTS of PHF, no metal stem thermometer was available
TRES AMIGOS AY CARAMBA	Restaurant	1300 N. 40TH AVE. # 107 - YAKIMA	YAKIMA	12/29/2015	Routine Inspection	05/05 Various expired FWC's
UNION GAP CARNICERIA	Meat Market	909 LOWER AHTANUM RD	UNION GAP	12/10/2015	Follow-Up Inspection	A 3-compartment sink and food prep sink have been installed.
UNION GAP DISTRICT# 2 SCHOOL	School	3201 S. 4TH ST.	UNION GAP	12/14/2015	Routine Inspection	0/0
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	12/3/2015	Routine Inspection	10/15 Blocked and improperly stocked handwash sink, missing thermometers in two refrigerators.
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	12/23/2015	Routine Inspection	5/10 Eggs being pooled, no test strips for sanitizer.
WAPATO CITY JAIL	Jail	205 S SIMCOE AVE	WAPATO	12/23/2015	Routine Inspection	10/13 Improperly stocked hand wash sink, blocked hand wash sink
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	12/4/2015	Routine Inspection	0/0
				12/12/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	12/8/2015	Routine Inspection	30/38 BHC w/RTE foods, no cosumer advisory on menu, potential food contamination during storage, smoking inside the facility.
WEST VALLEY FRESHMAN CAMPUS	School	9206 ZIER RD	YAKIMA	12/3/2015	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL	School	9800 ZIER RD.	YAKIMA	12/3/2015	Routine Inspection	0/0
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	12/3/2015	Routine Inspection	0/0
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	12/15/2015	Routine Inspection	0/0 No problems.
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	12/23/2015	Routine Inspection	10/10 Missing FWCs
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	12/14/2015	Routine Inspection	0/0 No problems.
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	12/1/2015	Routine Inspection	0/0 No problems.
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	12/3/2015	Routine Inspection	0/5 Dishwasher is not sanitizing correctly.



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	12/1/2015	Routine Inspection	0/0 No problems.
WRAY'S FOOD & DRUG	Mult Food Service	5605 SUMMITVIEW	YAKIMA	12/16/2015	Routine Inspection	0/8 Missing thermometer in walk-in meat refrigerator, ice-scoop improperly stored on dirty surface.
YAKIMA ONLINE	School	1120 S. 18TH ST. , PORTABLE B	YAKIMA	12/7/2015	Routine Inspection	0/0 No problems.
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	12/9/2015	Routine Inspection	0/0 No problems.
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	12/9/2015	Routine Inspection	0/0 No problems.
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	12/9/2015	Routine Inspection	0/0 No problems.