

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERICAN LEGION # 133		210 E 3RD ST	WAPATO	1/22/2016	Routine Inspection	0/5 No thermometer in refrigerator
AMERISTAR # 15	Mini-mart	723 E. 1ST AVE.	ZILLAH	1/11/2016	Routine Inspection	5/0. Need thermometer in sandwich refer unit near front (Temperature at 38 degrees F)
BIRCHFIELD MANOR	Restaurant/Catering	2018 BIRCHFIELD RD	YAKIMA	1/22/2016	Routine Inspection	0/5 No test strips for sanitizer
BLUE BARN FARM	Grocery Store	1791 ROZA DRIVE	ZILLAH	1/15/2016	Routine Inspection	Inspection was attempted but facility was not open. Next inspection rescheduled.
BLUE RIBBON COMMISSARY	Commissary	2807 W WASHINGTON AVE	YAKIMA	1/4/2016	Pre-Opening Inspection	Approved to open.
BOOTLEGGERS COVE	Restaurant/Lounge	802 WISCONSIN AVENUE	TIETON	1/7/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CABIN ESPRESSO	Espresso Stand	6301 AHTANUM RD	YAKIMA	1/15/2016	Routine Inspection	15/15 Missing FWCs, blocked hand wash sink
CAFE @ TOPPENISH LIVESTOCK COMMISSION	Restaurant	428 S. "G" STREET	TOPPENISH	1/14/2016	Routine Inspection	15/20 Various workers need valid FWC's, metal stem thermometers needed, consumer advisory needed, improper food prep surfaces (bare wood).
				1/16/2016	Follow-Up Inspection	Problems from previous inspection have been corrected.
CARL'S JR.	Restaurant	2208 S. 1ST STREET	YAKIMA	1/21/2016	Routine Inspection	5/5 Various FWC's expired.
CHIPOTLE MEXICAN GRILL	Restaurant	1905 S. 1ST STREET - UNION GAP	YAKIMA	1/19/2016	Routine Inspection	0/0
CLASSY COFFEE	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	1/13/2016	Routine Inspection	5/0. Need accurate thermometers in both refrigerators.
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	1/13/2016	Routine Inspection	0/0
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	1/14/2016	Routine Inspection	0/0.
COOL BEANS ESPRESSO GRANGER	Espresso Stand	1201-A BAILEY AVENUE	GRANGER	1/8/2016	Routine Inspection	10/18 PIC was not knowledgeable about food safety rules, missing FWCs, stir spoons are not sanitized, stir spoons stored in stagnant water between uses

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COWICHE CANYON KITCHEN & ICE HOUSE BAR	Restaurant/Lounge	202 E. YAKIMA AVENUE - YAKIMA	YAKIMA	1/6/2016	Routine Inspection	0/0
CRAFTED	Catering	516 N 35TH AVE.	YAKIMA	1/29/2016	Routine Inspection	0/0
CURLEY'S BAR & GRILL	Tavern	111 N. GLEED RD.	GLEED	1/6/2016	Routine Inspection	5/5 Improper cold holding of PHF
D'LISH BY DUFFIELDS CATERING	Catering	8007 DUFFIELD RD	MOXEE	1/29/2016	Routine Inspection	0/0
EAST VALLEY HIGH SCHOOL CONCESSIONS	Seasonal Concession	1900 BEAUDRY ROAD	YAKIMA	1/29/2016	Routine Inspection	35/35 Hands not washed as required, hot water for hand washing was hotter than 120 F
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	1/7/2016	Routine Inspection	0/8 Broken thermometer in cold-holding unit, improper thawing methods
EL FOGON	Restaurant	1300 YAKIMA VALLEY HWY.	SUNNYSIDE	1/21/2016	Routine Inspection	15/15 Missing FWCs, inadequate handwash facilities
EL MIRADOR MEXICAN RESTAURANT	Restaurant	418 W. WALNUT	YAKIMA	1/28/2016	Routine Inspection	20/10 Inadequate hand washing facilities, employee beverage stored in ice machine, produce stored on floor

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	1/6/2016	Follow-Up Inspection	0/5 No thermometer in cold-holding unit. All critical items from last inspection have been corrected.
				1/8/2016	Routine Inspection	5/10 No metal stem thermometers available, sanitizer not dispensing sanitizer.
EL VIEJO OESTE / OLD WESTERN MARKET	Mini-mart	102 E TOPPENISH AVE.	TOPPENISH	1/14/2016	Routine Inspection	Attempted inspection, but facility was closed.
				1/15/2016	Routine Inspection	Second inspection attempt. Facility appears closed and contact number has been disconnected.
FIESTA FOODS	Mult Food Service	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	1/8/2016	Routine Inspection	18/15 Inadequate hand wash facilities in bakery area, improper hot holding in deli, dirty surfaces in bakery
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	1/20/2016	Routine Inspection	30/33 Improper hot holding of PHF, inaccurate metal stem thermometer, improper thawing of raw meat
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	1/28/2016	Routine Inspection	10/10 Missing FWCs, raw meat stored above RTE food
FRED MEYER # 486	Mult Food Service	1206 N. 40TH AVE.	YAKIMA	1/11/2016	Routine Inspection	15/20 Two handwash sinks do not have hot water, inaccurate metal stem thermometer, rapid-cooling unit not working properly
GASPERETTI'S	Restaurant/Catering	1013 N 1ST ST.	YAKIMA	1/19/2016	Routine Inspection	10/20 HW missing paper towels, onions stored on ground, no sanitizer available.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GIGI'S ESPRESSO	Espresso Stand	208 N 5TH AVE	YAKIMA	1/15/2016	Routine Inspection	Routine inspection was attempted but facility was not operating at the time. Next inspection rescheduled.
GLACIER'S FROZEN YOGURT, L.L.C.	Ice Cream Parlor	4040 TERRACE HEIGHTS DR. # 140	YAKIMA	1/7/2016	Routine Inspection	25/30 Improper cooling procedures, no thermometer in refrigerator
GLEZ FAMILY RESTAURANT	Restaurant	1850 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/21/2016	Routine Inspection	15/15 Inadequate hand washing facilities, missing accurate metal stem thermometer
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	1/7/2016	Routine Inspection	0/5 No wiping cloths or sanitizer being used
GROOVIN' GROUNDS ESPRESSO ON THE GO	Mobile	6712 Tieton Drive, Yakima	YAKIMA	1/29/2016	Routine Inspection	0/0
GUESTHOUSE INN - YAKIMA	Continental Brkfst	1010 S SGT PENDLETON WAY	YAKIMA	1/26/2016	Routine Inspection	10/18 PIC was not knowledgeable of food safety practices, missing FWCs
HERITAGE UNIVERSITY	Cafeteria	3240 FORT	TOPPENISH	1/14/2016	Routine Inspection	0/0
HIGHLAND HIGH SCHOOL CONCESSIONS	Seasonal Concession	17000 SUMMITVIEW	COWICHE	1/26/2016	Routine Inspection	25/25 Person with FWC was not in food stand, hot dogs were improperly hot held

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AVE	YAKIMA	1/29/2016	Routine Inspection	15/15 Blocked hand wash sink, raw meat stored above RTE food
HOTEL MAISON	Continental Brkfst	321 E. YAKIMA AVENUE	YAKIMA	1/28/2016	Pre-Opening Inspection	Approved to open.
JITTER BUG ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	1/14/2016	Routine Inspection	0/5 Wiping cloths and sanitizer used improperly
LA BARATA	Meat Market	317 B ST	MABTON	1/7/2016	Routine Inspection	30/30 Queso fresco being stored out at room temperature, no thermometers available for hot foods.
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	1/21/2016	Routine Inspection	65/65 PIC unable to demonstrate proper knowledge of food safety, missing/expired FWCs, improper hot holding of PHF, room temperature storage of PHF (chorizo), accurate thermometer not available or used to monitor temperatures. A follow-up inspection is necessary.
LA PLACITA DE DON MAX	Grocery Store	205 S. WAPATO AVE.	WAPATO	1/26/2016	Pre-Opening Inspection	Ok to open once flooring in back kitchen is fixed.
LARA'S BAKERY	Bakery	7 WASHINGTON AV	TOPPENISH	1/14/2016	Routine Inspection	0/0
LE TRUCK	Mobile	NOB HILL & 16TH	YAKIMA	1/12/2016	Routine Inspection	Inspection was attempted but facility was not operating. Next inspection rescheduled.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LEP-RE-KON HARVEST FOODS #6	Multi Food Service	145 1ST AVE.	ZILLAH	1/13/2016	Routine Inspection	10/10 Inadequate hand washing facilities in meat department.
LITTLE RED SCHOOL HOUSE	Grocery Store	12691 U. S. HWY. 12	NACHES	1/7/2016	Routine Inspection	0/0
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 1ST AVENUE	TOPPENISH	1/14/2016	Routine Inspection	0/5 Bags of onions stored on the ground.
M & N GROCERY & BAKERY	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	1/21/2016	Routine Inspection	0/0
MC DONALD'S	Restaurant	820 ZILLAH WEST RD.	ZILLAH	1/15/2016	Routine Inspection	30/35 Improper use of time as a control, several FWC's expired, no thermometer in one refrigerator
				1/21/2016	Routine Inspection	0/8 Several refrigerators missing thermometers, no handwash sign in restrooms
MC DONALD'S RESTAURANT	Restaurant	19 E. YAKIMA AVE.	YAKIMA	1/11/2016	Routine Inspection	10/15 Improper cold holding of PHF's, inaccurate thermometers.
				1/25/2016	Routine Inspection	5/13 Several expired FWC's, no thermometer in walk-in refrigerator, improper storage of ice scoop
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	1/4/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	1/20/2016	Routine Inspection	0/10 No thermometer in cold holding units, wiping cloths and sanitizer not being used to clean surfaces that are touched by raw meat
MIZ DEE'S B.B.Q. WORKS & CATERING	Restaurant/Catering	523 W. YAKIMA AVE.	YAKIMA	1/21/2016	Routine Inspection	Attempted inspection but facility was not operating at this time. Next inspection rescheduled.
MR MO'S ESPRESSO	Espresso Stand	103 W. FREMONT	SELAH	1/8/2016	Routine Inspection	0/7. Need wiping clothes stored in bleach water; need to visibly post license on-site.
MT. ADAMS SCHOOL DISTRICT CONCESSIONS# 209	Seasonal Concession	551 SIGNAL PEAK	WHITE SWAN	1/26/2016	Routine Inspection	30/30 Hands not washed as required, metal stem thermometer not being used to evaluate food temperatures
MUGSHOTZ CAFE	Restaurant	108-A E. MOXEE AVE. - 98936	MOXEE	1/19/2016	Routine Inspection	0/0
NEW HONG KONG RESTAURANT	Restaurant	918 W. WINE COUNTRY RD.	GRANDVIEW	1/26/2016	Routine Inspection	0/0
NEW HOPE COMMUNITY CHURCH	Church Kitchen	29 CHANNEL DRIVE	YAKIMA	1/27/2016	Routine Inspection	0/0
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	1/25/2016	Routine Inspection	0/0



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NINO'S MEXICAN GRILL	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	1/6/2016	Follow-Up Inspection	25/25 Improper cooling procedures. A compliance inspection is required.
				1/21/2016	Compliance Inspection	0/0 All items from previous inspection have been corrected
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	1/8/2016	Routine Inspection	0/0
PANERA BREAD	Restaurant	21 E. VALLEY MALL BLVD.	UNION GAP	1/13/2016	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	1/8/2016	Routine Inspection	0/0
				1/11/2016	Routine Inspection	0/0.
PAPA MURPHY'S PIZZA # WA 100	Restaurant	6802 TIETON DR	YAKIMA	1/11/2016	Routine Inspection	0/0
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	1/8/2016	Routine Inspection	45/45 PIC without proper understanding of food safety, inadequate handwashing facilities, improper hot holding of PHF, no thermometer available for temperature monitoring Follow-up inspection necessary
				1/22/2016	Follow-Up Inspection	No repeated issues.
PARK N PAK SMOKE SHOP	Mini-mart	516 W. LINCOLN AVE	YAKIMA	1/6/2016	Complaint Inspection	40/42 Missing FWC, improperly stocked hand wash sink, improperly hot holding PHF, valid food license is not posted

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PERLA TAPATIA	Restaurant	225 S TOPPENISH AVE.	TOPPENISH	1/14/2016	Routine Inspection	0/5 Walk-in refrigerator needs a thorough cleaning
PIRATE COVE DAVIS STUDENT STORE	Snack Bar	212 S. 6TH AVE	YAKIMA	1/13/2016	Routine Inspection	0/5 Inaccurate refrigerator thermometer
PIZZA HUT # 12817	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	1/13/2016	Routine Inspection	5/5 Various food workers missing FWC's.
RESTAURANT JANITZIO	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	1/25/2016	Routine Inspection	0/0
SAFEWAY # 1593	Mult Food Service	610 E. WINE COUNTRY RD.	GRANDVIEW	1/21/2016	Routine Inspection	10/28 Improperly washing fruits
SALSITA ANTOJITOS MEXICANOS	Restaurant	902 S. FAIR AVE.	YAKIMA	1/21/2016	Routine Inspection	0/0
SANTIAGOS	Restaurant/Catering	111 E YAKIMA AVE.	YAKIMA	1/25/2016	Routine Inspection	0/0
SCOTT'S FUEL YARD ESPRESSO	Espresso Stand	314 1ST AVE.	ZILLAH	1/11/2016	Routine Inspection	0/0.
SELAH HIGH SCHOOL CONCESSIONS	Seasonal Concession	CARLON PK./ 300 E. GOODLANDER RD.	SELAH	1/26/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	1/11/2016	Routine Inspection	10/10 Handwashing sink missing paper towels.
SHISH KABOB & GRILL	Restaurant	103 S 1ST ST	SELAH	1/5/2016	Routine Inspection	30/38 PHF improperly hot held, no metal stem thermometer, improper thawing methods, no sanitizer is being used for dishes
SKATELAND FUN CENTER & THE VINE VENUE	Snack Bar	2506 OLD TOWN RD	UNION GAP	1/30/2016	Routine Inspection	15/15 Missing FWC, improperly stocked hand wash sink
SKY BAR & LOUNGE	Restaurant/Lounge	13 S. 1ST ST.	YAKIMA	1/14/2016	Routine Inspection	Routine inspection was attempted but facility was not operating at that time. Next inspection rescheduled.
SQUEEZE INN	Restaurant	611 1ST AVE.	ZILLAH	1/15/2016	Routine Inspection	0/0
SQUEEZE INN MOBILE FOOD TRUCK	Mobile		ZILLAH	1/13/2016	Routine Inspection	Inspection attempted. Mobile truck is not in use until May. Next inspection adjusted accordingly.
STATE FAIR CATERING	Catering	1301 FAIR AVE.	YAKIMA	1/28/2016	Routine Inspection	3/0 Cleaning/organizing needed in raceway kitchen.
SUNDQUIST CAFE	Snack Bar	1015 S. 16TH AVE.	YAKIMA	1/12/2016	Routine Inspection	30/35 Improper hot holding of PHF, no metal stem thermometer, broken thermometer in sandwich refrigerator

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE CHRISTIAN SCHOOL CONCESSIONS	Seasonal Concession	1820 SHELLER ROAD	SUNNYSIDE	1/30/2016	Routine Inspection	15/15 PIC was not knowledgeable about food safety rules, no food worker with a valid food worker card in concessions area, no metal stem thermometer was available
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	1/11/2016	Routine Inspection	0/0
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	1/27/2016	Routine Inspection	Attempted inspection, the facility has been closed for some time. Owner has not returned calls. Will attempt inspection in spring.
TACOS EL REY II	Restaurant	6712 TIETON DR	YAKIMA	1/19/2016	Pre-Opening Inspection	Existing hot water tank insufficient for restaurant demands. Adequate hot water tank/system must be installed.
				1/20/2016	Pre-Opening Inspection	Approved to open.
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	1/11/2016	Routine Inspection	35/46 Improper cooling of PHF's, improper cold holding of PHF's, onions stored on the ground, unnecessary personal items must be removed.
THE BEER SHOPPE		302 W. YAKIMA AVE. # 107	YAKIMA	1/21/2016	Routine Inspection	5/5 Missing FWC
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 BLAINE AVE.	SUNNYSIDE	1/22/2016	Routine Inspection	Two inspections have been attempted this month. Unable to contact by phone. Next inspection rescheduled for spring time.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE LITTLE BAKE SHOP AT JOHNSON ORCHARDS	Bakery	4906 SUMMITVIEW AV	YAKIMA	1/13/2016	Routine Inspection	0/0.
THE ORCHARD INN BED & BREAKFAST	Bed & Breakfast	1207 PECKS CANYON RD	YAKIMA	1/15/2016	Routine Inspection	Routine inspection was attempted but facility was not operating at that time. Next inspection rescheduled.
THE VINEYARD CAFE, ESPRESSO & DELI	Restaurant	150 DIVISION ST.	GRANDVIEW	1/28/2016	Follow-Up Inspection	25/25 RTS of PHF
THOMPSON'S FARM MARKET	Ice Cream Parlor	9950 US HWY 12	NACHES	1/19/2016	Routine Inspection	Routine inspection was attempted but facility was not operating at that time. Next inspection rescheduled.
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	1/13/2016	Routine Inspection	0/8 Dirty food-contact surfaces and nonfood-contact surfaces
TJ'S ON THE GO ESPRESSO	Mobile		NACHES	1/19/2016	Routine Inspection	Inspection was attempted but facility was not operating. Next inspection rescheduled.
TOPPENISH SCHOOL DISTRICT CONCESSIONS	Seasonal Concession	141 WARD RD	TOPPENISH	1/30/2016	Routine Inspection	10/10 Need hand wash setup in concessions stand
TWISTED SISTERS CREATIONS	Mobile		YAKIMA	1/21/2016	Routine Inspection	Routine inspection was attempted but facility was not operating at that time. Next inspection rescheduled.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	1/21/2016	Routine Inspection	10/10 Inadequate hand washing facilities
VINTAGE VALLEY INN	Continental Brkfst	911 VINTAGE VALLEY PARKWAY	ZILLAH	1/28/2016	Routine Inspection	0/0
WAPATO HIGH SCHOOL CONCESSIONS	Seasonal Concession	1202 S CAMAS AVE. - WAPATO	WAPATO	1/15/2016	Routine Inspection	0/0
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	1/30/2016	Routine Inspection	25/33 Hands not washed as required, food stored on the floor, hand wash sign not posted in restroom
WILRIDGE WINERY	Winery	250 EHLER RD.	YAKIMA	1/15/2016	Routine Inspection	0/0
WRAY'S MEADOWBROOK	Mult Food Service	7200 W. NOB HILL BLVD.	YAKIMA	1/22/2016	Routine Inspection	10/10 Improper cold holding of PHF
Y.V.C.C. DINING SERVICES (HUB)	Restaurant	1015 S. 16TH AVENUE	YAKIMA	1/27/2016	Routine Inspection	30/30 Hands not washed as required, improper metal stem thermometer used for thin meats
YAKIMA ATHLETIC CLUB	Snack Bar	2501 RACQUET LANE	YAKIMA	1/13/2016	Routine Inspection	0/5. Need to properly store wiping rags.
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	1/29/2016	Routine Inspection	40/40 FWCs were not available, hands not wash as required, no soap at the kitchen hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA BACON	Meat Market	5909 ENGLEWOOD AVE	YAKIMA	1/25/2016	Routine Inspection	0/0
YAKIMA BACON MOBILE	Mobile	BAZAARS & FARMERS MARKET	YAKIMA	1/25/2016	Routine Inspection	0/0
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	1/11/2016	Routine Inspection	Dining and lounge area are currently being remodeled. All food service is currently closed until February. Next inspection is rescheduled.
YAKIMA CRAFT BREWING CO.	Restaurant	2920 RIVER RD. # 6	YAKIMA	1/12/2016	Routine Inspection	5/8 Expired and missing FWC's, no handwash sign in restroom
YAKIMA VALLEY HOTEL & CONFERENCE CENTER	Restaurant	1507 N 1ST STREET	YAKIMA	1/20/2016	Routine Inspection	0/0
ZIGGYS MARKET AND SMOKE SHOP	Mini-mart	225 W WINE COUNTRY ROAD	GRANDVIEW	1/7/2016	Follow-Up Inspection	0/5 Floor is not smooth and easily cleanable